



PATIENT

Gilbert Ballard

SPECIES

Canine

BREED

Miniature Dachshund

SEX

MN

AGE

11yr

WEIGHT

21.2

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Cory Bassett

HOSPITAL NAME

All Creatures Small
Animal Hospital

REFERRING VET

Cory Bassett

INVOICE

23776

DATE

02/02/2026

PRESENTING CLINICAL SIGNS

- Dx and Sx removal of Anal gland adenocarcinoma July 14, 2025
- Chemotherapy Aug 2025-Oct 2025
- Currently no medical concerns
- Oncology recommended AUS at 6mos post chemotherapy
- On Ursodiol and Denamarin
- No abnormal imaging

Abnormal PE/Chem/CBC/UA Results: None

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 2 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no evidence of urine/lumen sediment, mineral, or calculi. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes was noted.

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio was maintained. The medulla and cortices were uniform in texture with some increased echogenicity and mild loss of corticomedullary symmetry and definition expected for the age of the patient. No evidence of pelvic dilation was present. Bilateral areas of mild medullary mineral were present. The left kidney measured 4.8 cm in length. The right kidney measured 4.3 cm in length.

The area of the iliac trifurcation was free of pathology including no evidence of medial iliac or sublumbar lymphadenopathy or masses.

Adrenal Glands

The left and right adrenal glands were not definitively visualized. No obvious pathology was present in the area of the bilateral adrenal glands.

Spleen

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

Liver/Gallbladder

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. Normal vascular volume. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

Gastrointestinal



PATIENT

Gilbert Ballard

SPECIES

Canine

BREED

Miniature Dachshund

SEX

MN

AGE

11yr

WEIGHT

21.2

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Cory Bassett

HOSPITAL NAME

All Creatures Small
Animal Hospital

REFERRING VET

Cory Bassett

INVOICE

23776

DATE

02/02/2026

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach contained mild to moderate variably echogenic non-shadowing ingesta sonographically suggestive of food echogenicity with no signs of obstruction or foreign material.

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of mechanical/metabolic ileus, obstruction or foreign material.

Normal visible colon wall layers were present with apparent formed feces in lumen.

Pancreas

The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.

Free Abdomen

No omental masses, overt lymphadenopathy or peritoneal effusion was present.

ULTRASONOGRAPHIC FINDINGS

Primary

- Age-related renal changes with mild medullary mineral
- Sonographically normal liver/ gallbladder
- Non-shadowing gastric ingesta- consistent with food echogenicity

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No evidence of visceral pathology or evidence of intra-abdominal or retroperitoneal metastatic criteria. Continued sonographic monitoring based on oncology recommendations is advised.



PATIENT

Gilbert Ballard

SPECIES

Canine

BREED

Miniature Dachshund

SEX

MN

AGE

11yr

WEIGHT

21.2

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Cory Bassett

HOSPITAL NAME

All Creatures Small
Animal Hospital

REFERRING VET


Cory Bassett

INVOICE

23776

DATE

02/02/2026





PATIENT

Gilbert Ballard

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

BREED

Miniature Dachshund

R. McKenzie Daniel, DVM, DABVP (Canine/Feline Practice)

info@sonopath.com

SEX

MN

AGE

11yr

WEIGHT

21.2

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Cory Bassett

HOSPITAL NAME

All Creatures Small
Animal Hospital

REFERRING VET

Cory Bassett

INVOICE

23776

DATE

02/02/2026