



PATIENT

Kaiser Dean

SPECIES

Canine

BREED

Min Dachshund

SEX

MN

AGE

15 years

WEIGHT

7.14 kg

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Sarah Barthelemy

HOSPITAL NAME

Aspen AH

REFERRING VET

Dr. Sekhon

INVOICE

16346

DATE

3/10/23

PRESENTING CLINICAL SIGNS

Pre-dental labs showed ALT elevation 326. No clinical signs. Recently ruptured anal gland abscess. Abnormal PE/Chem/CBC/UA Results: Pre bile acids mild elevation with normal post bile acids.

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 3.0 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. No evidence of mineral or calculi was noted. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes was noted.

The residual prostate was free of pathology.

The area of the aortic trifurcation was free of pathology.

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio was maintained. The medulla and cortices were uniform in texture with some increased echogenicity and moderate loss of corticomedullary symmetry and definition expected for the age of the patient. No evidence of pelvic dilation was present. Pinpoint medullary mineral was noted. The left kidney measured 4.7 cm in length. The right kidney measured 4.4 cm in length.

Adrenal Glands

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.55 cm width at the caudal pole and 0.55 cm width at the cranial pole. The right adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The right adrenal gland measured 0.54 cm width at the caudal pole and 0.69 cm width at the cranial pole.

Spleen

The spleen exhibited primarily finely textured parenchyma which was hyperechoic to the liver and renal cortical parenchyma. Mild generalized parenchyma heterogeneity was present with likely emerging discrete perihilar myelolipomas. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. The parenchymal heterogeneity is likely consistent with benign changes such as extramedullary hematopoiesis or age-related remodeling with minor potential for inflammatory or neoplastic disease.

Liver/ Gallbladder

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size containing primarily anechoic content with mild, non-dependent yet nonorganized, echogenic gallbladder debris. No evidence of inflammatory gallbladder criteria was noted. The cystic and common bile ducts were normal.



PATIENT

Kaiser Dean

SPECIES

Canine

BREED

Min Dachshund

SEX

MN

AGE

15 years

WEIGHT

7.14 kg

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

**IMAGING
PERFORMED BY**

Dr. Sarah Barthelemy

HOSPITAL NAME

Aspen AH

REFERRING VET

Dr. Sekhon

INVOICE

16346

DATE

3/10/23

Gastrointestinal

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach was empty with no signs of ileus, obstruction, or foreign material.

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction, or foreign material.

Normal visible colon wall layers were present with apparent formed feces in lumen.

Pancreas

The parenchyma of the pancreas base and proximal right pancreatic limb was hyperechoic to adjacent omental fat with diffuse parenchyma remodeling. The capsule of the pancreas was mildly asymmetrical in contour without evidence of peripancreatic inflammation. These changes may suggest chronic inflammation, fibrosis, or saponification if previous history of pancreatitis. No overt signs of pancreatic neoplasia. The left pancreatic limb was normal in size and contour with isoechoic to heterogeneous parenchyma compared to adjacent omentum. No signs of active inflammation or neoplasia.

Free Abdomen

No overt lymphadenopathy or peritoneal effusion was present.

ULTRASONOGRAPHIC FINDINGS

- Low-grade hepatopathy - benign, suspect low-grade inflammatory hepatopathy
- Mild gallbladder debris - not consistent with mucocele criteria
- Chronic pancreatitis / pancreatic fibrosis pattern, pancreas base and proximal right pancreatic limb
- Bilateral chronic renal changes

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Assessment for evidence of cranial abdominal or subxiphoid discomfort on palpation associated with the pancreas base and proximal right pancreatic limb, which may allude to chronic pancreatitis, is suggested. However, given no clinical signs, age-related pancreatic changes or pancreatic fibrosis is suspected.

Given relatively low-grade ALT elevation without clinical signs of hepatic disease, hepatosupportive medications, and continued monitoring would be reasonable. No evidence of a portosystemic shunt was noted. No anesthetic contraindications assuming evidence of normal hepatic function i.e., normal BUN, glucose, and cholesterol levels.



PATIENT

Kaiser Dean

SPECIES

Canine

BREED

Min Dachshund

SEX

MN

AGE

15 years

WEIGHT

7.14 kg

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Sarah Barthelemy

HOSPITAL NAME

Aspen AH

REFERRING VET


Dr. Sekhon

INVOICE

16346

DATE

3/10/23





PATIENT

Kaiser Dean

SPECIES

Canine

BREED

Min Dachshund

SEX

MN

AGE

15 years

WEIGHT

7.14 kg

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Sarah Barthelemy

HOSPITAL NAME

Aspen AH

REFERRING VET


Dr. Sekhon

INVOICE

16346

DATE

3/10/23



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)
info@SonoPath.com