



PATIENT

Cheeto Dodson

SPECIES

Feline

BREED

DMH

SEX

Neutered Male

AGE

11

WEIGHT

13.5

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Eddleman

HOSPITAL NAME

Mt. Yonah AH

REFERRING VET

Dr. Rachel Eddleman

INVOICE

13590

DATE

3/31/22

PRESENTING CLINICAL SIGNS

lymphoma diagnosed on FNA of mass at left caudal mandible region. FeLV/FIV negative cough - open. prior thorax rads revealed no distinct masses in thorax, area of increased soft tissue density and some mineralization on left side cranial neck which on rad appears associated with ear but palps as separate

ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Urinary System

The urinary bladder, trigone, and cystourethral junction exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes was noted.

The area of the aortic trifurcation was free of pathology.

The kidneys were normal in size and margination. Nonspecific mild uniform increased cortex echogenicity with mildly enhanced corticomedullary border demarcation was present. No evidence of renal neoplastic criteria was noted. The left kidney measured 3.5 cm in length. The right kidney measured 3.5 cm in length.

Adrenal Glands

The left and right adrenal glands were not definitively visualized.

Spleen

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

Liver/ Gallbladder


The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

Gastrointestinal

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach was empty with no signs of ileus, obstruction, or foreign material.

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction, or foreign material.

Normal visible colon wall layers were present with apparent formed feces in lumen.



PATIENT

Cheeto Dodson

SPECIES

Feline

BREED

DMH

SEX

Neutered Male

AGE

11

WEIGHT

13.5

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Eddleman

HOSPITAL NAME

Mt. Yonah AH

REFERRING VET

Dr. Rachel Eddleman

INVOICE

13590

DATE

3/31/22

Pancreas

The parenchyma of the left limb, body, and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease were evident.

Free Abdomen


No overt lymphadenopathy or peritoneal effusion was present.

ULTRASONOGRAPHIC FINDINGS

- Sonographically unremarkable abdomen
- Mild nonspecific age-related to chronic renal changes

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No evidence of abdominal visceral pathology, specifically no evidence of primary or metastatic intra-abdominal neoplastic criteria, was noted.





PATIENT

Cheeto Dodson

SPECIES

Feline

BREED

DMH

SEX

Neutered Male

AGE

11

WEIGHT

13.5

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Dr. Eddleman

HOSPITAL NAME

Mt. Yonah AH

REFERRING VET


Dr. Rachel Eddleman

INVOICE

13590

DATE

3/31/22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)
info@SonoPath.com