

PATIENT

Milo Bakarania

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

5y, 8m

WEIGHT

60 lbs.

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Marsh Hospital for
Animals

REFERRING VET

Dr. Megan Armani

INVOICE

10905

DATE

5/21/26

PRESENTING CLINICAL SIGNS

Hx of Gastroenteritis, Lethargy
Abnormal PE/Chem/CBC/UA Results: Labwork WNL. Maldigestion pending. Cortisol Normal.

ULTRASONOGRAPHIC EXAMINATION OF HEART & THE ABDOMEN

CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO (M-Mode)	LA/AO (Heart Base; Swe)	FS (%)	EF (%)	EPSS (cm)
NORMAL PARAMETER	4.5-5.5	<2.7	1.3	Up to 1.6	28-40	40-100	<0.6
PATIENT	-	-	-	1.2	38	70	0.4
CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT	LAD LA MAX4 Chamber	LVIDd Avg; 2D and m-mode short axis (cm)	LVIDs Avg; 2D and m-mode short axis (cm)
NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6				
PATIENT	106	1.4	0.85	60 lbs.	4.1	4.2	-

Cardiac Presentation

The echocardiogram in this patient demonstrated normal **left atrial** size based on 2 separate methods of LA evaluation. The cranial and caudal **mitral** valve leaflets presented normal linear structure, extension in systole, and union in diastole with normal kinesis. Mild eccentric MR was noted on Doppler. The **left ventricle** presented thicknesses with linear contour and was not dilated nor restricted. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted. **Tricuspid** valvular assessment demonstrated adequate linear morphology and kinesis. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonary outflow** tract assessment revealed normal valve structure, laminar flow, and diameter (approx.1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. The cranial **mediastinum and pericardial and extra-cardiac regions** were free of masses in the visible window. No evidence of arrhythmia was noted.

Urinary System

The urinary bladder, trigone, and cystourethral junction exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted.

The area of the residual prostate appeared normal and free of pathology.



PATIENT

The area of the iliac trifurcation was free of pathology.

Milo Bakarania

Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. The left kidney measured 6.2 cm in length. The right kidney measured 6.4 cm in length.

SPECIES

Canine

BREED

Goldendoodle

Adrenal Glands

The left adrenal gland was indistinctly visualized, yet overtly normal in size, position, and shape. The left adrenal gland subjectively measured 0.65 cm width. The right adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The right adrenal gland measured 0.61 cm width at the caudal pole.

SEX

MN

Spleen

AGE

5y, 8m

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

WEIGHT

60 lbs.

Liver/ Gallbladder

The liver was subjectively normal in size, structure, and contour. Normal hepatic vascular volume was present. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

INTERPRETED BY

R. McKenzie Daniel,
 DVM, DABVP
 (Canine and Feline)

Gastrointestinal

IMAGING PERFORMED BY

Vincent Ravancho CVT

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach was empty without evidence of retained ingesta, fluid, or foreign material.

HOSPITAL NAME

Marsh Hospital for
 Animals

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. Mild segmental nonshadowing intestinal ingesta / chyme was noted to the level of the colon.

REFERRING VET

Dr. Megan Armani

Normal visible colon wall layers were present with formed fecal matter in lumen.

Pancreas

The pancreas was normal in size and contour with isoechoic to heterogeneous parenchyma compared to adjacent omentum. No signs of active inflammation or neoplasia.

INVOICE

10905

Free Abdomen

No overt lymphadenopathy or peritoneal effusion was present.

DATE

5/21/26



PATIENT

Milo Bakarania

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

5y, 8m

WEIGHT

60 lbs.

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Marsh Hospital for
Animals

REFERRING VET

Dr. Megan Armani

INVOICE

10905

DATE

5/21/26

ULTRASONOGRAPHIC FINDINGS


- Normal cardiac structure / function
- Mild centralized MR
- Sonographically normal gastrointestinal tract with mild nonshadowing intestinal ingesta/ chyme
- Normal adrenal glands
- Mild heterogeneous pancreas

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The lack of LA enlargement indicates that the current and future risk of complications secondary to mild mitral valve insufficiency is low. There is no evidence of DCM criteria or other structural / functional cardiomyopathy. There is no indication for cardiac medications. Recheck echocardiogram is suggested in 8-12 months, sooner if clinically indicated.

Dietary intolerance / food hypersensitivity, dysbiosis, nonstructural inflammatory bowel, mild pancreatitis which may present exhibiting mild nonhomogeneous parenchymal changes, and occult parasitism, are all potentials. Correlation with pending GI panel is recommended.

Empirically, a limited antigen or hydrolyzed diet trial with potential long term dietary therapy, prophylactic deworming (Panacur 50 mg/kg SID x 5 consecutive days with repeat protocol in 3 weeks even if fecal testing is negative), high colony count probiotic (Provable or Visbiome), and as needed gastroprotectants is suggested with clinical monitoring. Note that recent research has shown that indiscriminate use of antibiotics may actually cause harm.





PATIENT

Milo Bakarania

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

5y, 8m

WEIGHT

60 lbs.

INTERPRETED BY

R. McKenzie Daniel,
 DVM, DABVP
 (Canine and Feline)

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Marsh Hospital for
 Animals

REFERRING VET


Dr. Megan Armani


INVOICE

10905

DATE

5/21/26





PATIENT

Milo Bakarania

SPECIES

Canine

BREED

Goldendoodle

SEX

MN

AGE

5y, 8m

WEIGHT

60 lbs.

INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Vincent Ravancho CVT

HOSPITAL NAME

Marsh Hospital for
Animals

REFERRING VET


Dr. Megan Armani

INVOICE

10905

DATE

5/21/26



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine/Feline Practice)
info@sonopath.com