

PATIENT PRESENTING CLINICAL SIGNS

Snoopy Acosta-Mendez
 hx of HM enlarged heart 2 days of dizziness/collapse shaking

SPECIES ULTRASONOGRAPHIC EXAMINATION OF THE HEART & ABDOMEN

Canine	CANINE CARDIAC PARAMETERS	MR VMAX (m/s)	TR VMAX (m/s)	LA/AO (Boon method)	LA/AO (Heart Base; Swe)	FS (%)	EF (%)	EPSS (cm)
Breed	NORMAL PARAMETER	4.5-5.5	<2.7	1.3	<1.6	28-40	40-100	<0.6
Sex	PATIENT			NM	1.88	50.9	85.9	0.3
Male	CANINE CARDIAC PARAMETERS	HR (BPM)	AV VMAX (m/s)	PV MAX (m/s)	BODY WEIGHT (kg)	LA 2D short axis Base view (cm)	LVIDd Avg; 2D and m-mode short axis (cm)	LVIDs Avg; 2D and m-mode short axis (cm)
Age	NORMAL PARAMETER	50-100	0.7-1.7	0.7-1.6				
12 Years	PATIENT	NM	1.45	1.1		3.8	3.7	
Weight	PATIENT							

32

Cardiac Presentation

The echocardiogram for this patient presented excessive **left atrial size** expressed both in the LA/AO and LA max measurements Chamber volumes and echogenicity were normal. The cranial and caudal **mitral** valve leaflets presented vegetative thickening consistent with endocardiosis. Doppler indicated measurable eccentric mitral insufficiency. The **left ventricle** presented mild increased volume. The **myocardium** presented normal echogenicity without subjective evidence of significant fibrotic or ischemic disease. **Contractility** of the ventricular walls was adequate and in normal range for this patient evidenced by the fractional shortening measurement and subjective evaluation of the different regions of the myocardium. The **left ventricular outflow** tract demonstrated normal laminar flow and subjective structural integrity. The **right atrium** and auricle revealed normal size, structure and content. No evidence of masses was noted or chamber overload. **Tricuspid** valvular assessment demonstrated adequate linear morphology. The **right ventricle** was of normal size (1/3 diameter of LV), chordae structure, myocardial echogenicity and thickness. **Pulmonic** tract assessment revealed normal valve structure, laminar flow, and diameter (approx.1:1 pa/ao ratio). No visible **pericardial** or free pleura fluid was noted. No echographically detectable evidence of infiltrative disease was visible. The cranial **mediastinum and pericardial regions** were free of masses in the visible window. No overt evidence of arrhythmogenic disease.

Urinary System

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of – cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted.

The prostate was enlarged in size with intact, symmetrical capsule contour. The margins of the gland were intact and able to be differentiated from the surrounding tissue. The prostatic parenchyma was

INTERPRETED BY

R. McKenzie Daniel,
 DVM, DABVP
 (Canine and Feline)

IMAGING PERFORMED BY

Jenn

HOSPITAL NAME

Rockaway Animal
 Hospital

REFERRING VET

Dr. Maniar

INVOICE

25756

DATE

9/23/21



PATIENT	mildly echogenic to heteroechoic without parenchymal mineralization. The prostate measured 4.2 cm x 2.8 cm.
Snoopy Acosta-Mendez	
SPECIES	Normal size and margination were present in the kidneys. A normal 1:3 cortex / medulla ratio was maintained. The medulla and cortices were uniform in texture with some increased echogenicity and mild loss of corticomedullary symmetry and definition expected for the age of the patient. No evidence of pelvic dilation was present. The left kidney measured 5.6 cm. The right kidney measured 5.2 cm.
Canine	
	Adrenal Glands
BREED	The adrenal glands were uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 0.49 cm at the cranial pole and 0.57 cm at the caudal pole. The right adrenal gland measured 0.67 cm at the cranial pole and 0.50 cm at the caudal pole.
Beagle	
	Spleen
SEX	The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis.
Male	
	Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.
AGE	
12 Years	
	Liver
	The liver exhibited mild to moderate generalized enlargement. The liver parenchyma was mildly nonuniform and hypoechoic to the spleen with a moderate coarse echotexture and subjective mild to benign parenchymal remodeling. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non distended in size with mild, echogenic, nonmineralized biliary sludge. The cystic duct and common bile ducts were normal without evidence of dilation.
WEIGHT	
32	
INTERPRETED BY	Gastrointestinal
R. McKenzie Daniel, DVM, DABVP (Canine and Feline)	The visualized stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach contained moderate, variably echogenic ingesta with progressive distal acoustic shadowing. Gastric body wall measured 0.30 cm.
	IMAGING PERFORMED BY
Jenn	The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction or foreign material. Duodenum wall measured 0.43 cm.
HOSPITAL NAME	Normal visible colon wall layers were present with apparent formed feces in lumen.
Rockaway Animal Hospital	
	Pancreas
REFERRING VET	The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.
Dr. Maniar	
	Free Abdomen
INVOICE	No overt lymphadenopathy or peritoneal effusion was present.
25756	
	PRIMARY FINDINGS
	<ul style="list-style-type: none"> Chronic mitral valve disease (ACVIM B2)
DATE	
9/23/21	



PATIENT

Snoopy Acosta-Mendez

SPECIES

Canine

BREED

Beagle

SEX

Male

AGE

12 Years

WEIGHT


32

SECONDARY FINDINGS

- Gastric ingesta – probable post-prandial presentation, minor potential for gastric stasis if documented NPO.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The cause of the murmur is most compatible with chronic degenerative valvular changes with secondary eccentric mitral valve insufficiency. The mild left atrial enlargement as well as mild increased left ventricular volume indicate that the risk of future complication is elevated. Potential for paroxysmal arrhythmogenic disease cannot be definitively excluded. This patient is considered borderline for Pimobendan therapy, yet given the patient's clinical signs, Pimobendan trial at 0.3 mg/kg PO BID as well as ECG +/- holter monitor (if collapsing episodes continue) is recommended. Screening blood pressure recommended. Correlation with full CBC/Chem panel, T4 and urinalysis recommended. If evidence of hepatic enzyme elevations, hepatic FNA may be considered for screening pathology.



INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Jenn

HOSPITAL NAME

Rockaway Animal Hospital

REFERRING VET


Dr. Maniar


INVOICE

25756

DATE

9/23/21





PATIENT

Snoopy Acosta-Mendez

SPECIES

Canine

BREED

Beagle

SEX


Male

AGE

12 Years

WEIGHT

32



INTERPRETED BY

R. McKenzie Daniel,
DVM, DABVP
(Canine and Feline)

IMAGING PERFORMED BY

Jenn

HOSPITAL NAME

Rockaway Animal
Hospital

REFERRING VET

Dr. Maniar

INVOICE

25756

DATE

9/23/21

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine / Feline Practice)
info@SonoPath.com