



**PATIENT PRESENTING CLINICAL SIGNS**

Luna Ong History: Vomiting, diarrhea after vaccines 8.25, RDVM concern for foreign body, presented with severe petichia over entire body, lethargy

**SPECIES** Medication: Metoclopramide

Canine

**ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

*Urinary System*

**BREED**

Poodle Mix

The urinary bladder, trigone, cystourethral junction, and visible pelvic urethra to a depth of 3.0 cm exhibited normal thickness and tone. Anechoic urine was present in the lumen with no uroliths or sediment. The ureteral papillae were normal. The ureters were not visible which is normal. No evidence of inflammatory or neoplastic changes were noted.

**SEX**

FS

No evidence of pathology in the area of the aortic trifurcation.

**AGE**

1 year

Normal size and margination was present in the kidneys. A normal 1:3 cortex / medulla ratio and normal corticomedullary definition were maintained. The echogenicity of the cortex was similar to or slightly less than normal liver parenchyma while the medulla echogenicity was hypoechoic to the cortex with no evidence of pelvic dilation. The left kidney measured 4.0 cm in length. The right kidney measured 3.9 cm in length.

*Adrenal Glands*

**WEIGHT**

15 Pounds

The left adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The left adrenal gland measured 1.4 cm length x 0.44 cm width at the caudal pole. The right adrenal gland was uniform in size and contour with a uniformly hypoechoic parenchyma. The right adrenal gland measured 1.7 cm length x 0.35 cm width at the caudal pole.

**INTERPRETED BY**

R. McKenzie Daniel,  
DVM, DABVP  
(Canine and Feline)

*Spleen*

The spleen exhibited a finely textured and homogenous parenchyma which was hyperechoic to the liver and renal cortical parenchyma. The capsule was smooth and regular without apparent expansion. The splenic vasculature at the hilus was normal in volume with no evidence of congestion or thrombosis. Acute to chronic inflammatory, neoplastic, or benign parenchyma changes were not noted.

**IMAGING PERFORMED BY**

Rebekah Jakum, CVT  
ARDMS/RVT

*Liver / Gallbladder*

The liver was subjectively normal in size, structure, and contour. The liver parenchyma was uniform and hypoechoic to the spleen with a mild coarse echotexture. The hepatic and portal vasculature were normal in appearance without signs of congestion. The gallbladder was non-distended in size with thin walls and primarily anechoic luminal content. The cystic and common bile ducts were normal.

**HOSPITAL NAME**

Rush UC

*Gastrointestinal*

**REFERRING VET**

Dr. Milot

The stomach presented intact wall layering with a normal wall layer ratio. The lumen of the stomach was empty with no signs of ileus, obstruction or foreign material. The gastric body wall width measured 0.32 cm.

**INVOICE**

47302

The small intestine presented intact wall layering with 1:3 muscularis/mucosa ratio. The lumen of the small intestine was empty with no signs of ileus, obstruction or foreign material. The jejunum wall width measured 0.30 cm.

**DATE**

9.4.2021

Normal visible colon wall layers were present with apparent formed feces in lumen.

*Pancreas*



**PATIENT**

Luna Ong

The parenchyma of the left limb, body and right limb of the pancreas presented isoechoic to the adjacent omental fat. A normal curvilinear capsule contour of the pancreas was present. The visible pancreatic duct was normal. No signs of active inflammation or neoplastic disease was evident.

*Free Abdomen*

**SPECIES**

Canine

No evidence of intraabdominal masses, lymphadenopathy, or peritoneal effusion was present.

**ULTRASONOGRAPHIC FINDINGS**

**BREED**

Poodle Mix

- Sonographically unremarkable abdomen.

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

**SEX**

FS


No evidence of visceral pathology as a potential cause of the patient's clinical signs. Minor gastroenterocolitis possible without evidence of mural changes. Consider potential for vaccine reaction. Correlation with full CBC/Chemistry panel and urinalysis recommended. As needed gastrointestinal support would be appropriate.

**AGE**

1 year

**WEIGHT**

15 Pounds



**INTERPRETED BY**

R. McKenzie Daniel,  
DVM, DABVP  
(Canine and Feline)

**IMAGING PERFORMED BY**

Rebekah Jakum, CVT  
ARDMS/RVT

**HOSPITAL NAME**

Rush UC

**REFERRING VET**


Dr. Milot

**INVOICE**

47302

**DATE**

9.4.2021



**PATIENT**

Luna Ong

**SPECIES**

Canine

**BREED**

Poodle Mix

**SEX**

FS

**AGE**

1 year

**WEIGHT**

15 Pounds

**INTERPRETED BY**

R. McKenzie Daniel,  
DVM, DABVP  
(Canine and Feline)

**IMAGING PERFORMED BY**

Rebekah Jakum, CVT  
ARDMS/RVT

**HOSPITAL NAME**

Rush UC

**REFERRING VET**


Dr. Milot

**INVOICE**

47302

**DATE**

9.4.2021



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

R. McKenzie Daniel, DVM, DABVP (Canine/Feline Practice)  
[mac.daniel@sonopath.com](mailto:mac.daniel@sonopath.com)