



PATIENT

May Aseraf

PRESENTING CLINICAL SIGNS

Chief Complaint: ANNUAL/LIMPING L HIND History: P IS A 1Y4M OLD F/S LHASA APSO MIX PRESENTING TODAY FOR ANNUAL VISIT. O STATES P LIMPING ON L HIND LEG STARTED MAYBE A MONTH OR TWO AGO. OCC HOLDS LEG UP WHEN RUNNING/WALKING O STATES COMES AND GOES. NO TRAUMA TO O KNOWLEDGE O STATES P VERY ACTIVE/PLAYFUL LIKES TO JUMP ON AND OFF FURNITURE. P WAS STEPPED ON 2 WEEKS AGO UNSURE WHICH PAW BUT LIMPING WAS GOING ON BEFORE. O STATES PICKY EATER ALWAYS HAS BEEN. O TRAVELS TO ISRAEL REQUESTS YEARLY RABIES WILL COME BACK IN MAY FOR 1YR RV.

SPECIES

Canine

BREED

Lhasa Apso X

Abnormal PE/Chem/CBC/UA Results: Hydration: Appropriately hydrated Mentation: BAR EENT: No nasal discharge; clear no discharge OU; clean no exudate AU; No cough on tracheal palpation. Oral Cavity: mild dental tartar present Lymph Nodes: Symmetrical, no changes in size, shape, consistency Skin: Good hair coat, no signs of ectoparasites. No lesions noted. CV/Respiratory: No murmur/arrhythmia or crackles/wheezing auscultated. Synchronous pulses, normal rate. Normal bronchovesicular sounds. Abd/GI: Soft non painful abdomen, no organomegaly, no abnormalities on abdominal palpation Uro/Perineum: N Musculoskeletal: Normal ambulation, no lameness noted. No pain on palpation of limbs, normal flexion/extension present in all joints of all limbs - P tense, but no postive drawer or tibial thrust LH. Grade 1 MPL LH. BCS 5/9 Neurological: Appropriate

SEX

SF

AGE

1 Year, 4 Months

RADIOGRAPHIC STUDY OF THE LEFT STIFLE

Mediolateral and craniocaudal views of the left stifle totaling 2 images available for review.

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

RADIOGRAPHIC FINDINGS

No evidence of significant articular swelling is seen. The periarticular margins of the left stifle joint are even and smooth. There is no evidence of cranial thrust of the tibia. The patella is in situ in both projections.

HOSPITAL NAME

DPC Veterinary
Hospital

The muscle volume of both hind limbs appears to be adequate and symmetric.

The right stifle is seen in the craniocaudal projection and presents within normal limits as well.

RADIOGRAPHIC DIAGNOSIS

REFERRING VET

Dr. White

- Radiographically normal left stifle.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

No structural changes are noted in the radiographic examination of the left stifle. Intermittent patella luxation cannot be ruled out. At this point, there is no muscle atrophy and no osteoarthritis of the left stifle joint.

INVOICE

47684

DATE

10-5-21



PATIENT

May Aseraf

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

SPECIES

Canine

Nele Eley, DVM, Dr. med. vet., DipECVDI
European Specialist in Veterinary Diagnostic Imaging, Cert. Radiology,
Senior lecturer University of Giessen, Germany, Veterinary Faculty, Department of Radiology
Nele.Eley@sonopath.com

BREED

Lhasa Apso X

SEX

SF

AGE

1 Year, 4 Months

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

HOSPITAL NAME

DPC Veterinary
Hospital

REFERRING VET

Dr. White

INVOICE

47684

DATE

10-5-21