

**PATIENT**

Ginger Lewis

PRESENTING CLINICAL SIGNS

intermittent limping on affected leg along w/ previous. - severe chronic degenerative due on medial coll ligaments (see previous rads) previously sent out to sonopath october 23, 2021

SPECIES

Canine

RADIOGRAPHIC STUDY OF THE TARSI

Mediolateral views of both tarsi totaling 2 images available for review.

BREED

Lab Retriever Mix

RADIOGRAPHIC FINDINGS**Left Tarsus**

Moderate articular swelling of the left tibiotarsal joint is seen. There is flattening of the trochlear ridge of the talus and widening of the plantar aspect of the tibiotarsal joint. Moderate periarticular osteophytes are seen in the left tibiotarsal joint which appear to be stationary compared with the prior study.

SEX

Spayed Female

Mild thickening of the soft tissues level with the calcaneal tendon is present.

AGE

7

Right Tarsus

Mild flattening of the trochlear ridge of the talus is present in the right tarsus as well. There appears to be a rounded isolated bone piece in the plantar aspect of the tibiotarsal joint. Mild tibiotarsal joint swelling is noted and there is a mild amount of periarticular osteophytes.

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

RADIOGRAPHIC DIAGNOSIS

- Stationary and moderate left tibiotarsal osteoarthritis secondary to osteochondritis.
- Mild thickening of the left calcaneal tendon.
- Osteochondritis and mild secondary osteoarthritis of the right tibiotarsal joint.

HOSPITAL NAME

Rockaway Animal
Hospital

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The radiographic findings are compatible with bilateral tibiotarsal osteochondritis. The subchondral bone defect is most likely situated in the plantar aspect of the medial ridge of the trochlea of the talus. The secondary osteoarthritic changes are moderate on the left side and stationary compared to the prior study. Mild osteoarthritic changes are present on the right side.

REFERRING VET

Dr. Maniar

The mild thickening of the left calcaneal tendon may represent tendinitis or calcaneal bursitis. Ultrasound of the left calcaneal tendon could be considered for further definition.

INVOICE

50504

DATE

2-23-22



PATIENT

Ginger Lewis

SPECIES

Canine

BREED

Lab Retriever Mix

SEX

Spayed Female

AGE

7



INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

HOSPITAL NAME

Rockaway Animal
Hospital

Nele Eley, DVM, Dr. med. vet., DipECVDI
European Specialist in Veterinary Diagnostic Imaging, Cert. Radiology,
Senior lecturer University of Giessen, Germany, Veterinary Faculty, Department of Radiology
Nele.Eley@sonopath.com

REFERRING VET

Dr. Maniar

INVOICE

50504

DATE

2-23-22