



PATIENT PRESENTING CLINICAL SIGNS

Winston Mikita
Pt has been limping 1 month. Seen at rDVM and was tried Gabapentin for 2 weeks 1 month ago, then tried Metacam. At rDVM diagnosed with a luxating patella stage one on the right hind leg. O took him back to rDVM this week thinking it was his foot not his knee, DVM wrapped his foot at that time. Last night pt ran across the yard and O is unsure what happened but now NWB right hind.

SPECIES

Canine
Abnormal PE/Chem/CBC/UA Results: Pain on palpation of right stifle. Moderate weight bearing at time of exam.

BREED

Havanese
Plain and post contrast studies of the pelvis and stifles available for review.

COMPUTED TOMOGRAPHIC STUDY OF THE PELVIS & STIFLES

COMPUTED TOMOGRAPHIC FINDINGS

SEX

The patellae are in situ in both stifle joints.

Male Neutered

Moderate articular swelling of the right stifle joint is seen with moderate periarticular osteophytes. The fabellae and patella present within normal limits.

AGE

7.5 Years

Mild articular swelling of the left stifle joint is noted.

The right hind limb presents mild atrophy of its musculature.

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

Both coxofemoral joints and the pelvis bones present within normal limits.

The lumbosacral junction is within normal limits.

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Mild to moderate right stifle osteoarthritis.
- Disuse atrophy of the right hind limb musculature.
- Mild articular effusion of the left stifle.

HOSPITAL NAME

Scottsdale Veterinary
Clinic

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

REFERRING VET

Dr Hertz

The CT findings suggest presence of right stifle arthropathy with mild to moderate osteoarthritic changes. Consider cranial cruciate ligament pathology one potential underlying cause. The patella is in situ at the time of the examination which does not rule out grade 1 or 2 patella luxation.

INVOICE

52888

There appears to be prolonged disuse of the right hind limb as indicated by the muscle atrophy.

Mild articular swelling of the left stifle joint is seen. Correlate with the clinical palpation in order to determine the potential presence of laxity and tibial thrust in the right and/or left stifle joint.

DATE

7-14-22



PATIENT

Winston Mikita

SPECIES

Canine

BREED

Havanese

SEX

Male Neutered

AGE

7.5 Years

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI



HOSPITAL NAME

Scottsdale Veterinary
Clinic

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

REFERRING VET

Dr Hertz

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

INVOICE

52888

Nele Eley, DVM, Dr. med. vet., DipECVDI
European Specialist in Veterinary Diagnostic Imaging, Cert. Radiology,
Senior lecturer University of Giessen, Germany, Veterinary Faculty, Department of Radiology
Nele.Eley@sonopath.com

DATE

7-14-22