



PATIENT

Obi Esteban/Alt

PRESENTING CLINICAL SIGNS

inappropriate urination

SPECIES

Canine

RADIOGRAPHIC FINDINGS

Abdomen

The surrounding bony structures are within normal limits.

BREED

Boston Terrier

No abnormalities of the extraabdominal soft tissues are noted. The abdominal wall is smooth and thin.

The serosal detail is maintained throughout the peritoneal and retroperitoneal space.

SEX

MN

Mild generalized enlargement of the liver is noted.

The splenic head is in the anticipated position and within normal limits for size and opacity. The splenic body and tail are considered normal for position, size, shape and opacity.

AGE

7 Years

Both kidneys are seen and present with normal size, shape, delineation and opacity.

The urinary bladder is moderately distended. No evidence of abnormal opacities is seen throughout the urinary bladder and urethra.

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

The stomach is in its anticipated position and presents normal content.

The small intestinal loops are of even diameter and non-dilated, a small amount of gas is seen within the small intestinal loops and considered within normal limits.

HOSPITAL NAME

Tenafly Vet Center

The colon is seen in the expected position and presents with appropriate content.

RADIOGRAPHIC DIAGNOSIS

- Normal radiographic presentation of the urinary tract.
- Mild generalized hepatomegaly.

REFERRING VET

Kyoung Han

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The radiographic presentation of the urinary tract is within normal limits. Urinary tract pathology including nonradiopaque calculi, lower urinary tract infection or inflammation, infiltrative disease, and neurologic dysfunction cannot be ruled out. Full urinalysis including sediment and culture is recommended if not performed already. Consider retrograde catheterization in order to rule out urethral pathology.

INVOICE

53178

The differential diagnosis for the hepatomegaly include metabolic/endocrine hepatopathy as well as diffuse inflammation/infection or infiltrative disease. Correlate with the laboratory values to determine the need for further definition by means of ultrasound with or without parenchymal sampling as indicated.

DATE

7-30-22



PATIENT

Obi Esteban/Alt

Consider the possibility of polyuria as one underlying cause of the inappropriate urination. Behavioral problems would be another consideration if everything else is ruled out.

SPECIES

Canine

BREED

Boston Terrier

SEX

MN

AGE

7 Years

INTERPRETED BY

Nele Eley, DVM
Dr. med. Vet. DipECVDI

HOSPITAL NAME

Tenafly Vet Center

REFERRING VET

Kyoung Han

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

INVOICE

53178

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

DATE

7-30-22

Nele Eley, DVM, Dr. med. vet., DipECVDI
European Specialist in Veterinary Diagnostic Imaging, Cert. Radiology,
Senior lecturer University of Giessen, Germany, Veterinary Faculty, Department of Radiology
Nele.Eley@sonopath.com