



**PATIENT PRESENTING CLINICAL SIGNS**

Fabio Ordonez History: PuPd, pollakiuria.

**SPECIES** Physical Examination: N/A.

Canine Urinalysis: N/A.

**BREED** CBC: Normal.

Italian Greyhound Serum Biochemistry: Normal.  
Radiographic Findings: N/A.

**SEX ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN**

Male **Urinary System**

**Age** Full urinary bladder with a normal thickness and appearance of the wall. Normal anechoic urine with no sediment evident. Small urolith present (0.1 cm).

**WEIGHT** Normal trigone area, proximal urethra (0.5 cm), and iliac blood vessels.

Normal iliac lymph nodes (1.5 cm). Ureters not visualized.

Normal renal size (left 4.9 cm, right 5 cm), echogenic appearance, cortico-medullary differentiation, and capsule. Normal right pelvis, left pyelectasia (0.4 cm).

**INTERPRETED BY** **Reproductive System**

Remo Lobetti, BVSc,  
MMedVet (Med), PhD, Dipl.  
ECVIM

Normal appearance and size of the testes and prostate (2 x 2.6 cm).

**IMAGING PERFORMED BY** **Adrenal Glands**

Sonya Myers, DVM

Normal position echogenic appearance, shape, and size. Left 0.38/0.42 cm, right 0.38/0.46 cm.

**HOSPITAL NAME** **Spleen**

Lake Emma Animal Hospital

Normal size (1.4 cm) and echogenic appearance. Smooth homogenous parenchyma, regular curvilinear capsule, and normal vasculature. No evidence of inflammatory, neoplastic, infarction, or infiltrative changes noted.

**REFERRING VET** **Liver**

Dr Wilder

Normal size, echogenic appearance, portal markings, and regular curvilinear capsule. No nodules or masses evident.

**INVOICE** **Gall bladder**

304085

Full containing normal anechoic bile. Normal thickness and echogenic appearance of the wall. Normal bile duct (0.3 cm).

**DATE**

4/6/23



**PATIENT**

***Gastrointestinal***

Fabio Ordonez

Normal appearance of the stomach, duodenum, small intestine, ileo-cecal junction, and colon with no loss of layering, normal wall thickness (duodenum 0.34 cm, jejunum 0.31 cm, colon 0.12 cm) and peristalsis, and no distension of the lumen. Small amount of ingesta within the stomach.

**SPECIES**

Canine

***Pancreas***

**BREED**

Italian Greyhound

Normal size (left 0.8 cm, right 1 cm) and echogenic appearance. Regular capsule. Normal echogenic appearance of the mesentery and fat surrounding the pancreas.

***Free Abdomen***

**SEX**

Normal mesenteric lymph nodes (0.3 x 2 cm).  
No ascites evident.

Male

**Age**

7 years

**ULTRASONOGRAPHIC FINDINGS**

Primary Findings:

- Left pyelectasia.
- Urolith.

**WEIGHT**

Secondary Findings:

- None.

**INTERPRETED BY**

Remo Lobetti, BVSc,  
MMedVet (Med), PhD, Dipl.  
ECVIM

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

Etiologies for the left pyelectasia would be incidental finding, early renal disease, and pyelonephritis.

**IMAGING PERFORMED BY**

Sonya Myers, DVM

Further assessment would be urinalyses and urine culture.

**HOSPITAL NAME**

Lake Emma Animal Hospital

Specific therapy would be dependent on an etiological diagnosis.

**REFERRING VET**

Dr Wilder

**INVOICE**

304085

**DATE**

4/6/23



**PATIENT**

Fabio Ordonez

**IMAGES**

**Urinary bladder**

**SPECIES**

Canine

**BREED**

Italian Greyhound

**SEX**

Male

**Age**

7 years

**WEIGHT**



**Left kidney**

**INTERPRETED BY**

Remo Lobetti, BVSc,  
 MMedVet (Med), PhD, Dipl.  
 ECVIM

**IMAGING PERFORMED BY**

Sonya Myers, DVM

**HOSPITAL NAME**

Lake Emma Animal Hospital

**REFERRING VET**

Dr Wilder



**INVOICE**

304085

**DATE**

4/6/23

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

**Remo Lobetti, BVSc, MMedVet (Med), PhD, Dipl. ECVIM (Internal Medicine)**  
[rlobetti@mweb.co.za](mailto:rlobetti@mweb.co.za)