



PATIENT PRESENTING CLINICAL SIGNS

Roxy Eichberg History: Patient presents for vomiting and diarrhea. No reported blood work or current meds.

SPECIES ULTRASONOGRAPHIC EXAMINATION OF THE ABDOMEN

Feline **Urinary System**

BREED The urinary bladder is small, with a normal thickness and smooth appearance of the wall. Normal anechoic urine with no sediment or uroliths evident.

DSH Normal appearance of the trigone area, proximal urethra, and iliac blood vessels.

SEX Normal appearance and size of the iliac lymph nodes. Ureters not visualized, which can be considered a normal finding.

Female Spayed

AGE Normal renal size (left kidney 3.50 cm) (right kidney 3.70 cm), architecture, echogenic appearance, cortico-medullary differentiation, which maintains a 1:3 cortex to medulla ratio, pelvis, and capsule. No infarcts, mineralization or renoliths evident.

13 years

WEIGHT **Adrenal Glands** Poorly visualized, but appear to be of normal shape, echogenic appearance, size, and position.

10.4 lbs

INTERPRETED BY **Spleen** Normal size (0.90 cm) and echogenic appearance. Smooth homogenous parenchyma and regular curvilinear capsule. Normal volume of the splenic vasculature without any overt congestion or thrombosis evident. No inflammatory, neoplastic, infarction, or infiltrative changes evident.

Remo Lobetti, BVSc,
MMedVet (Med),
PhD, Dipl. ECVIM

IMAGING PERFORMED BY **Liver** Normal size, echogenic appearance, portal markings, and regular curvilinear capsule. No nodules or masses evident. Normal appearance of the hepatic and portal vasculature.

Kelly Vazquez

HOSPITAL NAME **Gallbladder** The gallbladder is full, containing normal anechoic bile. Normal thickness and echogenic appearance of the wall. Normal size and appearance of the cystic and common bile duct.

Westwood Regional
VH

REFERRING VET **Gastrointestinal** Normal appearance of the stomach, duodenum, small intestine, ileo-cecal junction, and colon with no loss of layering, 1:3 muscularis to mucosa ratio, normal wall thickness and peristaltic activity, and no distension of the lumen.

Dr. Taylor McConnell

INVOICE **Pancreas** Enlarge (0.80 cm) with a hypoechoic appearance and irregular capsule. Hyperechoic appearance of the mesentery and fat surrounding the pancreas.

13622 **Free Abdomen** Normal mesenteric lymph nodes.

DATE No ascites evident.

7.7.23



PATIENT **ULTRASONOGRAPHIC FINDINGS**

Roxy Eichberg **Primary Findings**

SPECIES • Pancreatitis

Feline **Secondary Findings**

BREED • None

DSH

SEX

Female Spayed

AGE

13 years

WEIGHT

10.4 lbs

INTERPRETED BY

Remo Lobetti, BVSc,
MMedVet (Med),
PhD, Dipl. ECVIM

**IMAGING
PERFORMED BY**

Kelly Vazquez

HOSPITAL NAME

Westwood Regional
VH

REFERRING VET

Dr. Taylor McConnell

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Further assessment would be fecal analysis, CBC, serum biochemistry with electrolytes and fPL/PSL assay.

Therapy would be dependent on the presenting clinical signs, but could include fluid therapy, analgesics, antiemetics and feeding small, frequent meals of an intestinal diet.



INVOICE

13622

DATE

7.7.23



PATIENT

Roxy Eichberg

SPECIES

Feline

BREED

DSH

SEX

Female Spayed

AGE

13 years

WEIGHT

10.4 lbs

INTERPRETED BY

Remo Lobetti, BVSc,
MMedVet (Med),
PhD, Dipl. ECVIM

IMAGING PERFORMED BY

Kelly Vazquez

HOSPITAL NAME

Westwood Regional
VH

REFERRING VET

Dr. Taylor McConnell

INVOICE

13622

DATE

7.7.23



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Remo Lobetti, BVSc, MMedVet (Med), PhD, Dipl. ECVIM (Internal Medicine)
info@sonopath.com