

**PATIENT**

Tiger Miami Beach
Animal Advocates

PRESENTING CLINICAL SIGNS

Pet belongs to rescue group. Left head tilt
Abnormal PE/Chem/CBC/UA Results: Missing teeth (all incisors, top left canine)

SPECIES

Feline

COMPUTED TOMOGRAPHY OF THE SKULL

A high resolution pre- and post-contrast CT study of the skull is provided for review.

COMPUTED TOMOGRAPHIC FINDINGS**BREED**

DSH

The upper & lower incisor teeth and triadan 204, 206 and 307 are absent.

In the right nasal cavity, a moderate amount of non-contrast enhancing soft tissue material is attached to a moderately thickened nasal mucosal lining. Moderate destruction of the right nasal conchal & turbinate structures is seen.

SEX

Male Neutered

The left tympanic bulla contains a mild amount of non-contrast enhancing material. The osseous lining of the left tympanic bulla is mildly thickened and smooth. A small amount of non-contrast enhancing material is seen in the medial aspect of the right horizontal segment of the external ear canal. The inner ear bilaterally presents without abnormalities.

AGE

3 Years

Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The brain presents no deviation from normal anatomy and symmetry. The brain parenchyma is homogeneous and within normal limits for attenuation and distribution of contrast enhancement. The ventricular system is non-dilated and symmetric.

The submandibular and medial retropharyngeal lymph nodes are small and elongated with a normal short-to-long-axis-ratio is < 0.5, the attenuation and contrast enhancement pattern is uniform.

HOSPITAL NAME

Mobile Pet Imaging

COMPUTED TOMOGRAPHIC DIAGNOSIS**REFERRING VET**

Meaux

- Right sided destructive rhinitis
- Left sided chronic otitis media
- Right sided mild otitis externa
- Multiple absent teeth

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**INVOICE**

49312

The most likely causative agent for the destructive rhinitis is primary viral ± bacterial or less likely mycotic superinfection. Due to the lack of respective clinical signs, the clinical relevance of the finding is unclear. Anyway, rhinoscopy with sampling for microbial culture might be beneficial.

DATE

1-4-22

There is evidence of left sided otitis media, which is a plausible explanation for the described head tilt. As there is only mild filling of the tympanic bulla, conservative management including myringotomy might be used as initial treatment option.

No evidence of nasopharyngeal polyp formation.



PATIENT

Tiger Miami Beach
Animal Advocates

SPECIES

Feline

BREED

DSH

SEX

Male Neutered

AGE

3 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

destructive rhinitis

R



HOSPITAL NAME

Mobile Pet Imaging

REFERRING VET

Meaux

INVOICE

49312

DATE

1-4-22

H

otitis media





PATIENT

Tiger Miami Beach
Animal Advocates

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

SPECIES

Feline

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

BREED

DSH

SEX

Male Neutered

AGE

3 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Mobile Pet Imaging

REFERRING VET

Meaux

INVOICE

49312

DATE

1-4-22