



PATIENT

Kevin Lynaugh

PRESENTING CLINICAL SIGNS

P has a history of generalized lameness of the hindlimbs and forelimbs.
 Abnormal PE/Chem/CBC/UA Results: Slight sway to the hips on a walk 9/9 Body Condition Score Intermittent mild lameness of the forelimbs, with hesitancy on the right shoulder

SPECIES

Canine

RADIOGRAPHIC STUDY OF THE SHOULDER&ELBOW JOINTS, PELVIS AND STIFLE JOINTS

A complete set of radiographs of the shoulder joints, pelvis and stifle joints is provided for review.

BREED

Great Swiss Mountain Dog

RADIOGRAPHIC FINDINGS

There is moderate image noise level with the humeral heads. The left humerus presents a mild increased radiopacity of the intertubercular sulcus. The osseous margins of the right & left shoulder joint are smooth. The surrounding soft tissue structures are within normal limits.

SEX

Male Neutered

The proximal contour of the anconeal process of the right elbow joint presents mild osteophyte new bone formation. The left elbow joint presents smooth osseous margins. The contour of the medial coronoid process of both elbow joints is well-delineated.

The joint space of the right coxofemoral joint is moderately widened.

AGE

2.3 Years

The patella of both stifle joints is superimposed on the lateral femoral condyle. The osseous margins of the stifle joints are smooth and the intracapsular soft tissue material presents the expected volume.

INTERPRETED BY

Sebastian Schaub, DVM
 Dr. med. vet. DipECVDI

RADIOGRAPHIC DIAGNOSIS

- Possible sclerosis intertubercular sulcus left humerus
- Mild degenerative osteoarthritis right elbow joint
- Right sided mild hip dysplasia without signs for degenerative joint disease
- Suspect bilateral lateral patellar luxation

HOSPITAL NAME

Boca Park Animal Hospital

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The mild sclerosis of the intertubercular sulcus of the left humerus can indicate pathology of the bicipital tendon. An ultrasound examination of the shoulder joint can be used for further workup.

REFERRING VET

Tifanie Silver

The mild degenerative changes of the right elbow joint can be either due to 'wear-and-tear' or underlying elbow dysplasia – such as FCP (no radiographic signs for disease of the medial coronoid process. If pain can be located to the elbow joints, complementing workup by CT study of the elbow joints is recommended.

INVOICE

47972

Check if lateral patellar luxation can be confirmed by the clinical examination.

DATE

10-25-21



PATIENT

Kevin Lynaugh

SPECIES

Canine

BREED

Great Swiss Mountain
Dog

SEX

Male Neutered

AGE

2.3 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Boca Park Animal
Hospital

REFERRING VET

Tifanie Silver

INVOICE

47972

DATE

10-25-21





PATIENT

Kevin Lynaugh

SPECIES

Canine

BREED

Great Swiss Mountain
Dog

SEX

Male Neutered

AGE

2.3 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Boca Park Animal
Hospital

REFERRING VET

Tifanie Silver

INVOICE

47972

DATE

10-25-21





PATIENT

Kevin Lynaugh

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

SPECIES

Canine

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

BREED

Great Swiss Mountain
Dog

SEX

Male Neutered

AGE

2.3 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Boca Park Animal
Hospital

REFERRING VET

Tifanie Silver

INVOICE

47972

DATE

10-25-21