



PATIENT

Kevin Durrant (K.D.)
Laracuenta

PRESENTING CLINICAL SIGNS

3 days ago pt suddenly yelped in pain; o unsure if aide stepped on his feet; pt did not want to eat this am but ate about 15 min prior to appointment today

SPECIES

Canine

RADIOGRAPHIC STUDY OF THE FRONT & HIND LIMB AND ABDOMEN

Radiographs of the front & hind limbs in two imaging planes are provided for review.

BREED

Yorkshire Terrier

RADIOGRAPHIC FINDINGS

Abdomen

The surrounding bony structures are within normal limits.

No abnormalities of the extraabdominal soft tissues are noted. The abdominal wall is smooth and thin.

SEX

Male

The serosal detail is maintained throughout the peritoneal and retroperitoneal space.

The liver is appropriate in position, size and presents uniform opacity.

The splenic head is in the anticipated position and within normal limits for size and opacity. The splenic body and tail are considered normal for position, size, shape and opacity.

AGE

11 Years

Both kidneys are seen and present with normal size, shape, delineation and opacity. The urinary bladder is in its anticipated position. No radiopaque calculi are noted throughout the upper and lower urinary tract.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The stomach is in its anticipated position and presents normal content.

The small intestinal loops are of even diameter and non-dilated, a small amount of gas is seen within the small intestinal loops and considered within normal limits.

The colon is seen in the expected position and presents with appropriate content.

HOSPITAL NAME

The Pet Hospital of
Stratford

Front limbs

The periarticular bones of the left shoulder joint present mild to moderate osteophyte new bone formation.

REFERRING VET

Dr. Claudia Giuliani

The remainder of the osseous and soft tissue structures of the front limbs are within normal limits.

Hind limbs

The periarticular bones of the right stifle joint present smooth osseous margins and without signs of intracapsular swelling.

INVOICE

54409

The periarticular bones of the right stifle joint are smooth. The right stifle joint presents a mild intracapsular soft tissue swelling.

DATE

10-3-22

RADIOGRAPHIC DIAGNOSIS

- Articular swelling left stifle joint
- Degenerative osteoarthritis left shoulder joint
- Normal abdomen



PATIENT

Kevin Durrant (K.D.)
Laracuenta

SPECIES

Canine

BREED

Yorkshire Terrier

SEX

Male

AGE

11 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

The Pet Hospital of
Stratford

REFERRING VET

Dr. Claudia Giuliani

INVOICE

54409

DATE

10-3-22

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The joint effusion of the left stifle joint can be a sequela to pathology of the cranial cruciate ligament ± meniscal pathology, trauma, degenerative. Check if a positive drawer sign / tibial compression test is present.

The clinical relevance of the degenerative osteoarthritis of the left shoulder joint is unclear.





PATIENT

Kevin Durrant (K.D.)
Laracuenta

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

BREED

Yorkshire Terrier

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

SEX

Male

AGE

11 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

The Pet Hospital of
Stratford

REFERRING VET

Dr. Claudia Giuliani

INVOICE

54409

DATE

10-3-22