

PATIENT PRESENTING CLINICAL SIGNS

Fynn Nebroski Sudden onset of HL paresis starting on the 30th of October (Worsened on the 31st). Cranial nerves present. Panniculus reflexes absent on lumbar palpation (Localization = TL Region), Absent CP on the HLs. DPP present on the HLs. Anal and tail tone present. Mild reaction on palpation of the thoraco-lumbar region. No neck pain on palpation/manipulation.
Abnormal PE/Chem/CBC/UA Results: Decreased Alkp 18 U/L

SPECIES

Canine

COMPUTED TOMOGRAPHY OF THE CERVICAL, THORACIC AND LUMBAR SPINE

A high resolution plain CT study of the entire spine is provided for review.

BREED

Daschund

COMPUTED TOMOGRAPHIC FINDINGS

THE LAST RIB BEARING VERTEBRA IS COUNTED AS T13.

SEX

The osseous and soft tissue structures of the cervical spine present without abnormalities, but central mild mineralization of the intervertebral discs.

MN

Level with the intervertebral disc space T12/T13, heterogeneous hyperattenuating material is seen in the left ventrolateral aspect of the vertebral canal, occupying approximately up to 70% of the cross-sectional area of the vertebral canal at the same level. The hyperattenuating material is extending cranially up to the level of the cranial third of the vertebral body of T12 and caudally up to the level of the cranial vertebral endplate of L1. The dural tube level T12/T13 is deviated dorsally and to the right and is compressed.

AGE

6 Years

INTERPRETED BY

Multiple intervertebral discs of the thoracic spine present mild central mineralization.

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The osseous and soft tissue structures of the lumbar spine are within normal limits.

HOSPITAL NAME

COMPUTED TOMOGRAPHIC DIAGNOSIS

Bridgwater
Veterinary Hospital
and Wellness Centre

- Left sided intervertebral disc extrusion T12/T13 with compressive myelopathy and predominant cranial extend
- Multifocal chondroid disc degeneration along the cervical and thoracic spine

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The intervertebral disc extrusion T12/T13 is a plausible explanation for the presenting clinical signs, surgical, decompression is advised.

REFERRING VET


Dr. B. Ang

INVOICE

54918

DATE

11-1-22



PATIENT

Fynn Nebroski

SPECIES

Canine

BREED

Daschund

SEX

MN

AGE

6 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Bridgwater
Veterinary Hospital
and Wellness Centre

REFERRING VET



Dr. B. Ang


INVOICE

54918

DATE

11-1-22





PATIENT

Fynn Nebroski

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

SPECIES

Canine

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

BREED

Daschund

SEX

MN

AGE

6 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Bridgwater
Veterinary Hospital
and Wellness Centre

REFERRING VET

Dr. B. Ang

INVOICE

54918

DATE

11-1-22