



**PATIENT PRESENTING CLINICAL SIGNS**

**Silvestre Saldarriaga** Mom says he sometimes urinates outside box, although she wants to make sure it's not an UTI. 5/2022: SDMA 24, Creat 4.5, BUN 70, HCT 25, Ionized calcium WNL On 100-150ml LRS SQ EOD, weekly B12 inj

**SPECIES** Abnormal PE/Chem/CBC/UA Results: Hydration: N Mentation: BAR EENT: N Oral Cavity: mm pale pink Lymph Nodes: N Skin: N CV/Respiratory: 2-3/6 left sys murmur, lungs clear Abd/GI: left kidney very large, right kidney moderately enlarged, bladder small Uro/Perineum: N Musculoskeletal: loss of muscle mass along spine/legs Neurological: N Fecal: Diagnostic Testing Needed: UA in house: USG 1.005, trace protein otherwise NSF Urine culture - pending blood pressure - high, values in medical record Ab Rads x 3 - markedly enlarged left kidney - r/o perinephric pseudocyst, obstruction, infection, neoplasia CBC/Chem/T4 to lab AB US - confirms bilateral perinephric pseudocyst, lack of normal kidney architecture left kidney. Right kidney much milder Declined Diagnostics/Treatments: Findings: Assessment: 1) CRF with secondary hypertension and bilaeral perinephric pseudocysts

**BREED**

DSH

**SEX**

NM

**RADIOGRAPHIC STUDY OF THE ABDOMEN**

Radiographs of the abdomen in three imaging planes are provided for review.

**RADIOGRAPHIC FINDINGS**

**AGE**

The vertebral endplates L5/L6 and L6/L7 present mild spondylosis formation.

13 Years, 5 Months

No abnormalities of the extraabdominal soft tissues are noted. The abdominal wall is smooth and thin.

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

The serosal detail is maintained throughout the peritoneal and retroperitoneal space.

The liver is appropriate in position, size and presents uniform opacity.

The splenic head is in the anticipated position and within normal limits for size and opacity.

**HOSPITAL NAME**

DPC Veterinary Hospital

The left kidney is significantly enlarged and rounded, measuring 6.2 x 7.3 x 5.7 cm in size. The small intestinal loops are deviated ventrally and to the right by the mass effect. The right kidney is mild to moderately enlarged and presents a loss of the normal renal shape and is rounded. The urinary bladder is in its anticipated position. No radiopaque calculi are noted throughout the upper and lower urinary tract.

**REFERRING VET**

Dr. Feldt

The stomach is in its anticipated position and presents normal content.

The small intestinal loops are of even diameter and non-dilated, a small amount of gas is seen within the small intestinal loops and considered within normal limits.

**INVOICE**

55024

The colon is seen in the expected position and presents with appropriate content.

**RADIOGRAPHIC DIAGNOSIS**

- Renomegaly, L>>R
- Spondylosis deformans

**DATE**

11-7-22



**PATIENT**

Silvestre Saldarriaga

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

The bilateral renomegaly is consistent with the history of confirmed perirenal pseudocyst formation – commonly a sequela to chronic nephropathy. No additional clinically relevant abnormalities are appreciated.

**SPECIES**

Feline

**BREED**

DSH

**SEX**

NM

**AGE**

13 Years, 5 Months

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

**HOSPITAL NAME**

DPC Veterinary  
Hospital

**REFERRING VET**


Dr. Feldt

**INVOICE**

55024

**DATE**

11-7-22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Sebastian Schaub**, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI  
sebast.schaub@gmail.com