



PATIENT

Princess Gallo

PRESENTING CLINICAL SIGNS

p has underline issue . hyperthyroidism / chronic renal failure / heart murmur. gingiva is all inflamed . blood work is pending and mass is detected on chest area.

SPECIES

Feline

RADIOGRAPHIC STUDY OF THE THORAX

Radiographs of the thorax in three imaging planes are provided for review.

BREED

Domestic Shorthair

RADIOGRAPHIC FINDINGS

The surrounding bony structures are within normal limits.

In the subcutaneous tissue dorsal to the cranial thoracic spine, multiple small gas inclusions are visible – suspect due to preceding subcutaneous injection.

Dorsal to the second & third sternebra, a fusiform shaped soft tissue opacity is noted.

SEX

Spayed Female

The heart is of normal size and shape, there is no evidence of cardiac chamber or vascular enlargement. The pulmonary vasculature is within normal limits.

The trachea is normal in diameter and presents the anticipated course. The luminal outline of the trachea is smooth.

AGE

17 Years

The bronchial tree presents with thin walls and tapers uniformly towards the periphery as expected.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

In the caudodorsal aspect of the right cranial lung lobe, a well-defined, roundish soft tissue opaque nodular lesion is appreciated measuring approximately 2 intercostal spaces in diameter. The remainder of the lung parenchyma present the expected architecture and opacity; the intrapulmonary vascular branching is seen up to the third order lung vessels.

The diaphragm is well delineated with even surface and the expected mild cranial bulging of the diaphragmatic cupola.

HOSPITAL NAME

Tenafly Vet Center

RADIOGRAPHIC DIAGNOSIS

- Solitary pulmonary mass, right cranial lung lobe
- Possible lymphadenopathy sternal lymph node

REFERRING VET

Kyoung Han

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The pulmonary nodular lesion is concerning for primary pulmonary neoplasia – carcinoma is most common. Differentials include granuloma or less likely a zone with pneumonia. Ultrasound guided FNA sampling of the pulmonary nodule by the dorsal aspect of the 6th right intercostal space can be tried.

INVOICE

55067

The prominent sternal lymph node might still present normal anatomical variation, reactive hyperplasia or metastatic disease.

DATE

11-8-22



PATIENT

Princess Gallo

SPECIES

Feline

BREED

Domestic Shorthair

SEX

Spayed Female

AGE

17 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Tenafly Vet Center

REFERRING VET


Kyoung Han

INVOICE

55067

DATE

11-8-22





PATIENT

Princess Gallo

SPECIES

Feline

BREED

Domestic Shorthair

SEX

Spayed Female

AGE

17 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Tenafly Vet Center

REFERRING VET


Kyoung Han

INVOICE

55067

DATE

11-8-22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com