



PATIENT

Sachi Aldrich

PRESENTING CLINICAL SIGNS

Sudden onset of anorexia , lethargy
Abnormal PE/Chem/CBC/UA Results: tense abdomen , weak back legs , BW severely elevated
ALP, CPLi X-ray sent to evaluate abdomen and stifle

SPECIES

Canine

RADIOGRAPHIC STUDY OF THE ABDOMEN & STIFLE JOINTS

Radiographs of the abdomen in two imaging planes and the right stifle joint in a mediolateral and craniocaudal projection.

BREED

Beagle

RADIOGRAPHIC FINDINGS

Abdomen

The vertebral endplate dL1/L2 present mild spondylosis formation.

SEX

Female Spayed

No abnormalities of the extraabdominal soft tissues are noted. The abdominal wall is smooth and thin.

AGE

11 Years

The serosal detail is maintained throughout the peritoneal and retroperitoneal space.

The hepatic volume is moderately increased and the caudoventral margins are rounded. The gastric axis is displaced caudally. The liver has a uniform soft tissue opacity.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The splenic head is in the anticipated position and within normal limits for size and opacity. The splenic body and tail are considered normal for position, size, shape and opacity.

The left kidney presents a shallow concave depression at the caudal aspect. The urinary bladder is in its anticipated position. No radiopaque calculi are noted throughout the upper and lower urinary tract.

HOSPITAL NAME

St. Catherine's Animal
Hospital

The stomach is in its anticipated position and presents normal content.

The small intestinal loops are of even diameter and non-dilated, a small amount of gas is seen within the small intestinal loops and considered within normal limits.

REFERRING VET

Dr. Masoud

The colon is seen in the expected position and presents with appropriate content.

Right stifle joint

INVOICE

49094

The right stifle joint presents smooth osseous margins and there is no evidence of intracapsular soft tissue swelling.

A cutaneous nodule is seen at the cranial aspect of the right crus, level with the mid diaphysis of the tibia. A small soft tissue mass is seen at the distal aspect of the right crus, measuring 1.9 cm in diameter.

DATE

12-16-21



PATIENT

Sachi Aldrich

RADIOGRAPHIC DIAGNOSIS

- Hepatomegaly
- Mild nephropathy – infarction versus chronic nephritis
- Spondylosis deformans L1/L2
- Small soft tissue mass distal aspect right crus
- Normal right stifle joint but cutaneous nodular lesion cranial aspect right crus

SPECIES

Canine

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

BREED

Beagle

Potentials for the hepatomegaly include metabolic hepatic disease/steroid induced hepatopathy, hepatitis or neoplastic infiltration. Ultrasound including FNA sampling can be used as minimally advanced diagnostic tests.

SEX

Female Spayed

AGE

11 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

St. Catherine's Animal
Hospital

REFERRING VET

Dr. Masoud

INVOICE

49094

DATE

12-16-21





PATIENT

Sachi Aldrich

SPECIES

Canine

BREED

Beagle

SEX

Female Spayed

AGE

11 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

St. Catherine's Animal
Hospital

REFERRING VET

Dr. Masoud

INVOICE

49094

DATE

12-16-21





PATIENT

Sachi Aldrich

SPECIES

Canine

BREED

Beagle

SEX

Female Spayed

AGE

11 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

St. Catherine's Animal
Hospital

REFERRING VET

Dr. Masoud

INVOICE

49094

DATE

12-16-21

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com