



PATIENT

Stanley Kendall

PRESENTING CLINICAL SIGNS

mild limp on LHL, Owner unsure about trauma
Abnormal PE/Chem/CBC/UA Results: BW unremarkable, sensitive when left stifle manipulated- left popliteal LN mildly enlarged

SPECIES

Feline

RADIOGRAPHIC STUDY OF THE STIFLE JOINTS

Radiographs of the stifle joints in two imaging planes are provided for review.

BREED

DSH

RADIOGRAPHIC FINDINGS

Both stifle joints present smooth osseous margins of the periarticular bones and without signs of intracapsular soft tissue swelling. The surrounding soft tissue structures are unremarkable.

SEX

Male Neuter

- Normal stifle joints

RADIOGRAPHIC DIAGNOSIS

AGE

12 Years

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The radiographic study of the stifle joints presents without abnormalities, explaining the hind limb lameness but signs of degenerative joint disease of the left coxofemoral joint – rule out pain originating from the proximal aspects of the hind limb as well.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

St. Catherine's Animal
Hospital

REFERRING VET

Dr. Jui Gokhale

INVOICE

56706

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

DATE

2-13-23

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com