



PATIENT

Zara Stadnyk

SPECIES

Canine

BREED

Boxer Mix

SEX

FS

AGE

7Y, 2M

WEIGHT

37.6kg

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet.
DipECVDI

IMAGING PERFORMED BY

Lucy

HOSPITAL NAME

Bridgwater Veterinary
Hospital and Wellness
Centre

REFERRING VET

Dr. P Nahar

INVOICE

74013

DATE

3-2-26

PRESENTING CLINICAL SIGNS

History of having wobbly episodes 1-2 weeks ago then started Saturday another episode 30 min (wobbly, unable to stand up and dizziness, vomited once)

COMPUTED TOMOGRAPHY OF THE SKULL & NECK

A high resolution pre- and post-contrast CT study of the head and neck is provided for review.

COMPUTED TOMOGRAPHIC FINDINGS

The pictured parts of the dentition are complete and unremarkable in all jaw quadrants.

The nasal cavity presents the expected aerated spaces between thin & even conchae and turbinates with smooth mucosal lining.

Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

Both tympanic bullae are aerated, the mucosal lining is not seen, the bony wall is smooth and thin. The external ear canals are within normal limits.

The brain presents no deviation from normal anatomy and symmetry. The brain parenchyma is homogeneous and within normal limits for attenuation and distribution of contrast enhancement. The ventricular system is non-dilated and symmetric.

The submandibular and medial retropharyngeal lymph nodes are small and elongated with a normal short-to-long-axis-ratio is < 0.5, the attenuation and contrast enhancement pattern is uniform.

The intervertebral disc space C6/C7 is v-shaped narrowed.

The remainder of the osseous and soft tissue structures of the neck reveal no abnormalities.

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Discopathy C6/C7
- Normal skull

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The CT study reveals no abnormalities and an underlying cause for the described clinical signs cannot be specified. The narrowed intervertebral disc space C6/C7 is indicative for discopathy – no extradural myelocompression is appreciated, acute non-compressive nucleus pulposus extrusion or a transient ischemic attack may be potentials. If there is strong suspicion for intraparenchymal changes of the CNS, workup can be complemented by a MRI study of the brain/cervical spine.



PATIENT

Zara Stadnyk

SPECIES

Canine

BREED

Boxer Mix

SEX

FS

AGE

7Y, 2M

WEIGHT

37.6kg

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet.
DipECVDI

IMAGING PERFORMED BY

Lucy

HOSPITAL NAME

Bridgwater Veterinary
Hospital and Wellness
Centre

REFERRING VET

Dr. P Nahar

INVOICE

74013

DATE

3-2-26





PATIENT

Zara Stadnyk

SPECIES

Canine

BREED

Boxer Mix

SEX

FS

AGE

7Y, 2M

WEIGHT

37.6kg

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet.
DipECVDI

IMAGING PERFORMED BY

Lucy

HOSPITAL NAME

Bridgwater Veterinary
Hospital and Wellness
Centre

REFERRING VET

Dr. P Nahar

INVOICE

74013

DATE

3-2-26

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
info@sonopath.com