



**PATIENT PRESENTING CLINICAL SIGNS**

Spirit Smith CHF

**RADIOGRAPHIC STUDY OF THE THORAX**

**SPECIES** Radiographs of the thorax in three imaging planes are provided for review. Radiographs are dated 3/11/23.

Canine

**RADIOGRAPHIC FINDINGS**

**BREED** The body condition score is 7/9.

Eskimo In the subcutaneous tissue, at the left lateral thoracic wall, level with the 10<sup>th</sup> to 12<sup>th</sup> rib, an irregular ovoid shaped, mild heterogeneous soft tissue opaque mass is seen, measuring 5.5 x 2.6 cm in size.

The extrathoracic soft tissues present homogeneous without abnormalities.

**SEX** The heart is of normal size and shape, there is no evidence of cardiac chamber or vascular enlargement. The pulmonary vasculature is within normal limits.

FS

The cranial mediastinum presents the expected soft tissue opacity. The mediastinal width is less than twice the width of the vertebral column at the same level.

**AGE**

9

The trachea is normal in diameter and presents the anticipated course. The luminal outline of the trachea is smooth.

**INTERPRETED BY** The bronchial tree presents with thin walls and tapers uniformly towards the periphery as expected.

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

The lung parenchyma presents the expected architecture and opacity; the intrapulmonary vascular branching is seen up to the third order lung vessels.

The diaphragm is well delineated with even surface and the expected mild cranial bulging of the diaphragmatic cupola.

**HOSPITAL NAME**

Summit Dog and Cat  
Hospital

**RADIOGRAPHIC DIAGNOSIS**

- Subcutaneous soft tissue mass left caudolateral thoracic wall
- No evidence of pulmonary metastatic disease
- Obesity

**REFERRING VET**

Vogler

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

The radiographic study is negative for changes of the cardiovascular system, there is no evidence of overt cardiomegaly or signs of decompensation. A cardiac echo can be used for further assessment of cardiac chamber size and function.

**INVOICE**

57429

The subcutaneous mass at the left caudolateral thoracic wall is suggestive for neoplasia versus granuloma. FNA sampling might be used for further differentiation.

**DATE**

3-25-23



**PATIENT**

Spirit Smith

**SPECIES**

Canine

**BREED**

Eskimo

**SEX**


FS

**AGE**

9

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI



**HOSPITAL NAME**

Summit Dog and Cat  
Hospital

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

**REFERRING VET**

Vogler

**Sebastian Schaub**, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI  
sebast.schaub@gmail.com

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**INVOICE**

57429

**DATE**

3-25-23