



PATIENT PRESENTING CLINICAL SIGNS

Asce Lugasi Reason for Visit: limping l hind leg history: p limping of l hind paw started yesterday o took p for walk p did fine on walk but when got back in house non weight bearing. O states p was crying all night since we were not open in the middle of the night advised o of emergency centers she can go to in the future. P not eating since yesterday. P vomited one time yesterday o believes from pain. O states p eyes still get red needs refill of eye meds. No other concerns.

SPECIES

Canine

Abnormal PE/Chem/CBC/UA Results: Hydration: Adequate Mentation: BAR EENT: OU clear. AU clear, no debris. No cough on tracheal palpation. Oral cavity: No dental tartar. Lymph Nodes: Submandibular, prescapular and popliteal lymph nodes normal size, shape and consistency Skin:

BREED

Belgian Malinois Mix

Healthy hair coat. No ectoparasites seen, skin clean dry and intact. CV/Respiratory: Normal heart rate and rhythm, no murmur, pulses strong and synchronous, normal bronchovesicular sounds. Abd/GI: Soft, non-painful, no fluid wave, no palpable masses or organomegaly. Uro/Perineum: No lesions or abnormalities. Musculoskeletal: BCS = 5/9. Ambulatory x 4, toe-touching lameness left pelvic limb.

SEX

Male

Orthopedic exam: no pain or laxity on palpation of digits, long bones, stifle, femur. Pain on hip extension. Neurological: Alert and appropriate. No deficits noted. Diagnostic Testing: Sedation with butorphanol 10mg IM and dexmedtomidine 0.5mg/ml 0.6ml IV.

RADIOGRAPHIC STUDY OF THE PELVIS & LEFT STIFLE JOINT

A ventrodorsal view of the pelvis and orthogonal projections of the left stifle joint are provided for review.

AGE

9 Months

RADIOGRAPHIC FINDINGS

INTERPRETED BY

The osseous and surrounding soft tissue structures of the pelvis are within normal limits. Both coxofemoral joints present smooth osseous margins and congruent joint spaces.

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The left stifle joint has smooth margins of the periarticular bones. The patella is in situ. The left stifle joint presents without signs of intracapsular soft tissue swelling.

HOSPITAL NAME

DPC Veterinary
Hospital

RADIOGRAPHIC DIAGNOSIS

- Normal pelvis
- Normal stifle joints

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

REFERRING VET

Dr. Ward

The radiographic study of the pelvis and the left stifle joint presents without abnormalities, explaining the presenting clinical signs. Rule out possible soft tissue injury as underlying cause. If clinical signs persist under empirical management by the means of rest and NSAID, follow up radiographs may be considered.

INVOICE

57145

DATE

3-8-23



PATIENT

Asce Lugasi

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

BREED

Belgian Malinois Mix

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

SEX

Male

AGE

9 Months

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

DPC Veterinary
Hospital

REFERRING VET

Dr. Ward

INVOICE

57145

DATE

3-8-23