

**PATIENT PRESENTING CLINICAL SIGNS**

Tessa Torres Weight bearing Lameness Right front limb for about 3 months. Sedated exam: Right elbow is thickened and has limited mobility.
Abnormal PE/Chem/CBC/UA Results: Dermatitis ventral abdomen/inguinal region.

SPECIES COMPUTED TOMOGRAPHY OF THE FRONT LIMBS

Canine A high resolution pre- and post-contrast CT study of the front limbs is provided for review.

BREED COMPUTED TOMOGRAPHIC FINDINGS

American Bulldog Mix The vertebral endplates C6/C7 present mild spondylosis formation and the respective intervertebral disc is mildly protruding into the vertebral canal.

SEX Both shoulder joints present smooth osseous margins and the surrounding soft tissue structures are within normal limits.

Spayed Female Both elbow joints present moderate osteophyte new bone formation, R>L. The tip of the medial coronoid process bilaterally presents an irregular elongated conformation, R>L. The joint capsule of the right elbow joint is prominent and there is evidence of moderate intracapsular soft tissue swelling of the right elbow joint. Small, mineralized bodies are seen along the joint capsule of the right elbow joint.

AGE

6 Years, 7 Months **COMPUTED TOMOGRAPHIC DIAGNOSIS**

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

- Coronoid disease elbow joints bilaterally
- Moderate degenerative osteoarthritis elbow joints bilaterally, R>L
- Metaplasia joint capsule right elbow joint
- Mild intervertebral disc protrusion C6/C7
- Spondylosis deformans, C6/C7
- Normal shoulder joints

HOSPITAL NAME

Mobile Pet Imaging

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The findings are consistent with moderate chronic degenerative joint disease of both elbow joints due to elbow dysplasia - underlying pathology of the medial coronoid process is likely. Although the degenerative joint disease of the right elbow joint is the most likely underlying cause for the joint effusion, a synovial tap can be used to rule out inflammatory process.

REFERRING VET

Meaux

Arthroscopy to revise the elbow joints and remove potential non-vital fragments of the medial coronoid process and prevent further damage would be the therapy of choice.

INVOICE

50850

DATE

3-9-22



PATIENT

Tessa Torres

SPECIES

Canine

BREED

American Bulldog Mix

SEX

Spayed Female

AGE

6 Years, 7 Months

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVCI

HOSPITAL NAME

Mobile Pet Imaging

REFERRING VET


Meaux

INVOICE

50850

DATE

3-9-22





PATIENT

Tessa Torres

SPECIES

Canine

BREED

American Bulldog Mix

SEX

Spayed Female

AGE

6 Years, 7 Months

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Mobile Pet Imaging

REFERRING VET

Meaux

INVOICE

50850

DATE

3-9-22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com