



PATIENT PRESENTING CLINICAL SIGNS

Leeloo Entes intermittent lameness, left front limb and right rear leg, separate occasions. last for a few hours, then stops.

SPECIES COMPUTED TOMOGRAPHY OF THE FRONT & HIND LIMBS

Canine A high resolution post contrast CT study of the front and hind limbs is provided for review.

COMPUTED TOMOGRAPHIC FINDINGS

BREED Both shoulder joints present smooth osseous margins and the surrounding soft tissue structures are within normal limits.

Shih Tzu The region of the brachial plexus bilaterally is within normal limits.

SEX The elbow joints bilaterally have smooth osseous margins. The medial coronoid process of the elbow joints is well-defined and has a homogeneous density. The joint space of the elbow joints is incongruent, due to mild radio-ulnar step formation, <1.0 mm.

FI The cranial cortex of the proximal third of the diaphysis of the right ulna, in the region of the entheses of the interosseous ligament, presents a well-defined geographic osteolytic lesion, communicating with the surface.

AGE The carpal joints and front paws bilaterally are unremarkable.

2 Years The osseous and surrounding soft tissue structures of the pelvis are within normal limits. Both coxofemoral joints present smooth osseous margins and congruent joint spaces.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The stifle joints bilaterally have smooth osseous margins and present no sign for intracapsular soft tissue swelling.

No abnormalities of the osseous and soft tissue structures of the tarsal joints are appreciated.

HOSPITAL NAME

Animal Surgical
Center

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Mild incongruity of the elbow joints
- Small radio-ulnar ischemic necrosis (RUIN) lesion cranial cortex right ulna – likely incidental
- Normal shoulder joints
- Normal hind limbs

REFERRING VET

n/a

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The CT study presents without specific abnormalities, explaining the described clinical signs. The clinical relevance of the mild incongruity of the elbow joints bilaterally and the RUIN lesion of the right ulna are questionable.

INVOICE

58974

DATE

6-22-23



PATIENT

Leeloo Entes

SPECIES

Canine

BREED

Shih Tzu

SEX

FI

AGE

2 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET

n/a

INVOICE

58974

DATE

6-22-23





PATIENT

Leeloo Entes

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

BREED

Shih Tzu

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
info@sonopath.com

SEX

FI

AGE

2 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET

n/a

INVOICE

58974

DATE

6-22-23