



PATIENT

Luna Mun

PRESENTING CLINICAL SIGNS

Possible Nose Polyp patient had history of asthma that was currently on the medication (albutrol nasal spray) patient had history of epistaxia from the left nostril

SPECIES

Feline

COMPUTED TOMOGRAPHY OF THE SKULL

A high resolution plain CT study of the skull is provided for review.

BREED

Domestic Short Hair

COMPUTED TOMOGRAPHIC FINDINGS

The pictured parts of the dentition are complete and unremarkable in all jaw quadrants.

The nasal cavity bilaterally, L>R, is consolidated by soft tissue material attached to the nasal conchal & turbinate structures. The perpendicular plate of the left palatine bone presents multifocal moth eaten osteolytic lesions. Both frontal sinuses contain uniform soft tissue material.

SEX

F

Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

AGE

10 Years

The right tympanic bulla is filled with uniform soft tissue attenuating material. The osseous lining of the right tympanic bulla is mildly thickened and smooth. In the left tympanic bulla, a small amount of soft tissue material is attached to the osseous lining. The external ear canals are within normal limits.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The brain parenchyma is homogeneous.

The submandibular and medial retropharyngeal lymph nodes are prominent and uniform soft tissue attenuating.

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Nasal cavity obliterated by soft tissue material, L>R
- Otitis media, R>>L
- Lymphadenopathy mandibular and medial retropharyngeal lymph nodes bilaterally
- History of feline bronchial disease

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET

Dr. Kam

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Differentiation between exudate and soft tissue mass in the nasal cavity is not possible in a plain CT study and changes can present active rhinosinusitis (commonly viral ± bacterial or less likely mycotic superinfection) or nasal neoplastic disease. Recommend rhinoscopy including sampling for microbial culture and biopsy.


INVOICE

52665

There is no evidence of nasopharyngeal inflammatory polyp formation but the right sided otitis media, that can be a sequela to ascending infection by the Eustachian tube.

DATE

6-30-22



PATIENT

Luna Mun

SPECIES

Feline

BREED

Domestic Short Hair

SEX

F

AGE

10 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET



Dr. Kam

INVOICE

52665

DATE

6-30-22





PATIENT

Luna Mun

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

SPECIES

Feline

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

BREED

Domestic Short Hair

SEX

F

AGE

10 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET

Dr. Kam

INVOICE

52665

DATE

6-30-22