



PATIENT PRESENTING CLINICAL SIGNS

Max Yonan History: Oral melanoma, caudal right roof of mouth
Abnormal PE/Chem/CBC/UA Results:

SPECIES COMPUTED TOMOGRAPHIC STUDY OF THE SKULL

Canine A high resolution pre- and post-contrast CT study of the skull is provided for review.

COMPUTED TOMOGRAPHIC FINDINGS

BREED

Rottweiler Triadan 110 presents a moderate to marked widening of the periodontal space. Distal to triadan 110, a plaque like mass is protruding mildly into the oral cavity measuring approximately 1.7 x 1.3 x 1.3 cm in size, the mass is ill-defined to the underlying soft tissues.

SEX

Neutered Male The nasal cavity presents the expected aerated spaces between thin and even conchae and turbinates with smooth mucosal lining.

AGE

8 Years 3 Months Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.
Both tympanic bullae are aerated, the mucosal lining is not seen, the bony wall is smooth and thin. The external ear canals present a mild thickened wall with mild mineralizations. The horizontal segment is mild to moderately narrowed.

INTERPRETED BY

Sebastian Schaub,
DVM Dr. med. vet.
DipECVDI

The brain presents no deviation from normal anatomy and symmetry. The brain parenchyma is homogeneous and within normal limits for attenuation and distribution of contrast enhancement. The ventricular system is non-dilated and symmetric.

HOSPITAL NAME

Mobile Pet Imaging

The most lateral of the right mandibular lymph nodes is moderately enlarged, rounded, uniform soft tissue attenuating and heterogeneous contrast enhancing.

COMPUTED TOMOGRAPHIC DIAGNOSIS

REFERRING VET

Meaux

- Mural plaque like mass level right base of the soft palate
- Lymphadenopathy right mandibular lymph node
- Periapical abscess formation 110
- Mild bilateral otitis externa

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

INVOICE

12498

The oral mass at the base of the soft palate fits the history of oral melanoma. The margins of the mass cannot be defined, no overt osseous involvement is appreciated and changes seen level triadan 110 are most consistent with tooth root abscess.

DATE

8/10/21



PATIENT

Max Yonan

The enlarged mandibular lymph node is compatible with lymph node metastasis – recommend FNA sampling to confirm the diagnosis. Potential treatment options should be discussed with oncologist. Consider full tumor staging.

SPECIES

Canine

BREED

Rottweiler

SEX

Neutered Male

AGE


8 Years 3 Months

INTERPRETED BY

Sebastian Schaub,
DVM Dr. med. vet.
DipECVDI

HOSPITAL NAME

Mobile Pet Imaging



REFERRING VET

Meaux

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.


INVOICE

12498

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

DATE

8/10/21



PATIENT

Max Yonan

SPECIES

Canine

BREED

Rottweiler

SEX

Neutered Male

AGE

8 Years 3 Months

INTERPRETED BY

Sebastian Schaub,
DVM Dr. med. vet.
DipECVDI

HOSPITAL NAME

Mobile Pet Imaging

REFERRING VET

Meaux

INVOICE

12498

DATE

8/10/21