



**PATIENT PRESENTING CLINICAL SIGNS**

Finnegan Alive Chronic URI, stray cat at rescue organization

**SPECIES COMPUTED TOMOGRAPHY OF THE SKULL**

Feline A high resolution pre- and post-contrast CT study of the skull is provided for review.

**BREED COMPUTED TOMOGRAPHIC FINDINGS**

DSH Triadan 101, 102, 106, 201-203, 303, 402 and 403 are absent. The remaining fragments of the roots of the absent maxillary incisors are seen within the alveolar crest. Triadan 108 presents with resorptive lesions of the crown and root.

Male Neutered The nasal cavity presents the expected aerated spaces between thin & even conchae and turbinates with smooth mucosal lining.

AGE Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

2 Years The right tympanic bulla is aerated, the mucosal lining is not seen, the bony wall of the right tympanic bulla is smooth and thin. The osseous lining of the left tympanic bulla is significantly thickened and smooth; a very small amount of soft tissue material is attached to the mucosal lining of the left tympanic bulla. The left external ear canal presents a mildly thickened wall with mild irregular surface of the epithelial lining.

**INTERPRETED BY** The brain presents no deviation from normal anatomy and symmetry. The brain parenchyma is homogeneous and within normal limits for attenuation and distribution of contrast enhancement. The ventricular system is non-dilated and symmetric.

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

The submandibular and medial retropharyngeal lymph nodes are prominent.

A generalized thickening of the skin is noted – considered as normal anatomical variant.

**HOSPITAL NAME COMPUTED TOMOGRAPHIC DIAGNOSIS**

Catskill Veterinary Services, PLLC

- Left sided otitis externa
- Evidence of preceding left sided chronic otitis media
- Suspect reactive hyperplasia mandibular and medial retropharyngeal lymph nodes
- Dental resorptive lesion 108
- Multiple absent teeth with remaining roots of the maxillary incisors

**REFERRING VET INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

Dr. Joseph D'Abbraccio

**INVOICE** At this point there is no evidence of active upper airway infection and the upper airway present without abnormalities. The changes of the left tympanic bulla are likely a sequela to the history of upper respiratory tract infection with ascending infection by the auditory tube. There is no evidence of inflammatory polyp formation.

53515

**DATE**

8-16-22



**PATIENT**

Finnegan Alive

**SPECIES**

Feline

**BREED**

DSH

**SEX**

Male Neutered

**AGE**

2 Years

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

**HOSPITAL NAME**

Catskill Veterinary  
Services, PLLC

**REFERRING VET**

Dr. Joseph  
D'Abbraccio

**INVOICE**

53515

**DATE**

8-16-22





**PATIENT**

Finnegan Alive

**SPECIES**

Feline

**BREED**

DSH

**SEX**

Male Neutered

**AGE**

2 Years

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

**HOSPITAL NAME**

Catskill Veterinary  
Services, PLLC

**REFERRING VET**


Dr. Joseph  
D'Abbraccio

**INVOICE**

53515

**DATE**

8-16-22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Sebastian Schaub**, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI  
sebast.schaub@gmail.com