



**PATIENT PRESENTING CLINICAL SIGNS**

Cali McLean IS DIAGNOSED WITH CKD /DIABETES  
Abnormal PE/Chem/CBC/UA Results: SEVER ELEVATION IN CREAT/BUN ,BG

**SPECIES RADIOGRAPHIC STUDY OF THE ABDOMEN**

Feline Radiographs of the abdomen in three imaging planes are provided for review.

**RADIOGRAPHIC FINDINGS**

**BREED** The vertebral endplates L6/L7 present moderate bridging spondylosis formation.

DSH In the subcutaneous tissue dorsal to the thoracic spine, multiple small gas inclusions are visible – consistent with preceding subcutaneous injection. No abnormalities of the extraabdominal soft tissues are noted. The abdominal wall is smooth and thin.

**SEX** The serosal detail is maintained throughout the peritoneal and retroperitoneal space.

Female Spayed The liver is appropriate in position, size and presents uniform opacity.

**AGE** The splenic head is in the anticipated position and within normal limits for size and opacity. The splenic body and tail are considered normal for position, size, shape and opacity.

7 Years Both kidneys are seen and present with normal size, shape, delineation and opacity. A very small amount of mineral opaque material is seen in the imaging plane of the right renal pelvis. The urinary bladder is in its anticipated position. At least 17 mineral opaque calculi are superimposed on the urinary bladder, measuring up to 2.5 mm in diameter.

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

The stomach is in its anticipated position and is moderately dilated by fluid.

The small intestinal loops are of even diameter and non-dilated, a small amount of gas is seen within the small intestinal loops and considered within normal limits.

**HOSPITAL NAME**

St. Catherine's Animal  
Hospital

The colon is seen in the expected position and presents with appropriate content.

**RADIOGRAPHIC DIAGNOSIS**

- Fluid filled stomach
- Cystolithiasis
- Right sided mild nephrolithiasis
- Spondylosis deformans

**REFERRING VET**

Dr. Boctor

**INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS**

**INVOICE**

53612

The fluid filled stomach indicates gastric emptying disorder that can be a sequela to pancreatitis, gastritis, stress; theoretically pyloric or proximal duodenal mechanical obstruction are potentials as well, but due to the lack of history of vomiting the odds are low.

**DATE**

8-19-22



**PATIENT**

Cali McLean

**SPECIES**

Feline

**BREED**

DSH

**SEX**

Female Spayed

**AGE**

7 Years

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

**HOSPITAL NAME**

St. Catherine's Animal  
Hospital

**REFERRING VET**


Dr. Boctor

**INVOICE**

53612

**DATE**

8-19-22





**PATIENT**

Cali McLean

**SPECIES**

Feline

**BREED**

DSH

**SEX**

Female Spayed

**AGE**

7 Years

**INTERPRETED BY**

Sebastian Schaub, DVM  
Dr. med. vet. DipECVDI

**HOSPITAL NAME**

St. Catherine's Animal  
Hospital

**REFERRING VET**


Dr. Boctor

**INVOICE**

53612

**DATE**

8-19-22



The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

**Sebastian Schaub**, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI  
sebast.schaub@gmail.com