



PATIENT

PRESENTING CLINICAL SIGNS

Lola Owen Long history of nasal discharge, partial resp to antibiotics. Lost weight, laboured breathing. Refer for further imaging.

SPECIES

COMPUTED TOMOGRAPHY OF THE SKULL

Feline

A high resolution pre- and post-contrast CT study of the skull is provided for review.

BREED

COMPUTED TOMOGRAPHIC FINDINGS

Burmese

The pictured parts of the dentition are complete.

SEX

The caudal segment of the ventral nasal meatus bilaterally and the choana are obliterated by soft tissue attenuating and moderate contrast enhancing material. A small amount of fluid attenuating material is attached to the nasal conchal structures.

Female

Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

AGE

The right tympanic bulla contains a moderate amount of non-contrast enhancing soft tissue material. The osseous lining of the right tympanic bulla is mildly thickened and smooth.. The external ear canals are within normal limits.

8 Years

The brain presents no deviation from normal anatomy and symmetry. The brain parenchyma is homogeneous and within normal limits for attenuation and distribution of contrast enhancement. The ventricular system is non-dilated and symmetric.

INTERPRETED BY

The submandibular and medial retropharyngeal lymph nodes are prominent.

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

COMPUTED TOMOGRAPHIC DIAGNOSIS

HOSPITAL NAME

- Nasal soft tissue mass caudal aspect ventral nasal meatus & choana
- Obstructive rhinitis
- Lymphadenopathy mandibular and medial retropharyngeal lymph nodes
- Right sided otitis media

Animal Trust -
Ellesmere Port

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

REFERRING VET

The nasal mass is concerning for primary nasal neoplasia with round cell tumor being the top differential. Theoretically, rare nasal polyp or granulomatous disease (e.g. mycotic) are potentials as well, but the odds are low. Recommend rhinoscopy including biopsy for further definition.

Laura Hughes

FNA sampling of the mandibular and medial retropharyngeal lymph nodes can be performed to screen for local metastatic disease.

INVOICE

54200

DATE

9-21-22



PATIENT

Lola Owen

SPECIES

Feline

BREED

Burmese

SEX

Female

AGE

8 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Trust -
Ellesmere Port

REFERRING VET

Laura Hughes

INVOICE

54200

DATE

9-21-22





PATIENT

Lola Owen

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Feline

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

BREED

Burmese

SEX

Female

AGE

8 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Trust -
Ellesmere Port

REFERRING VET

Laura Hughes

INVOICE

54200

DATE

9-21-22