



PATIENT

Raja Hudgins

PRESENTING CLINICAL SIGNS

abdominal mass r/o splenic vs hepatic vs others left epistaxis

SPECIES

Canine

COMPUTED TOMOGRAPHY OF THE SKULL

A high resolution plain CT study of the skull is provided for review.

BREED

Chow Chow Mix

COMPUTED TOMOGRAPHIC FINDINGS

A supernumerary triadan 311&411 is appreciated. Triadan 204 presents mild periapical widening of the periodontal space with perforation of the lateral cortex of the alveolar crest.

SEX

FS

In the left nasal cavity, advanced destruction of the nasal conchal & turbinate structures is appreciated, and a moderate amount of soft tissue material is attached to the nasal mucosal lining and the mucosal lining of the left frontal sinus. The left maxillary bone presents multifocal moth eaten osteolytic lesion. The osseous lining of the left frontal sinus presents with mild hyperostosis. There is osteolysis of the osseous lamella between the left frontal sinus and the cranial fossa.

AGE

14 Years

Both temporomandibular joints present congruent joint spaces with even subchondral bone surfaces and are considered within normal limits.

Both tympanic bullae are aerated, the mucosal lining is not seen, the bony wall is smooth and thin. The external ear canals are within normal limits.

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

The submandibular and medial retropharyngeal lymph nodes are small and elongated with a normal short-to-long-axis-ratio is < 0.5, the attenuation pattern is uniform.

A small cutaneous wart-like lesion is appreciated is noted at the left caudodorsal aspect of the neck.

HOSPITAL NAME

Animal Surgical
Center

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Left sided destructive rhinitis with hyperostosis of the osseous lining of the left frontal sinus and osteolytic lesions of the maxillary and frontal bone with perforation of the cranial fossa
- Periapical abscess 204
- Supernumerary triadan 311&411
- Cutaneous wart-like lesion caudodorsal aspect of the neck

REFERRING VET

Veterinary Care
Group

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The findings are consistent with left sided mycotic rhinitis and Aspergillus sp. is the most common underlying causative agent.

INVOICE

54331

Recommended rhinoscopy for further evaluation with sampling for culture and histopathology (detection of fungi microscopically is more straightforward than with culture in many cases) followed by local antimycotic therapy.

DATE

9-27-22



PATIENT

Raja Hudgins

SPECIES

Canine

BREED

Chow Chow Mix

SEX

FS

AGE

14 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET



Veterinary Care
Group

INVOICE

54331

DATE

9-27-22





PATIENT

Raja Hudgins

SPECIES

Canine

BREED

Chow Chow Mix

SEX

FS

AGE

14 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET



Veterinary Care
Group

INVOICE

54331

DATE

9-27-22





PATIENT

Raja Hudgins

The information and recommendations provided are based on the images presented by the referring veterinarian/sonographer. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

SPECIES

Canine

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance please contact me.

BREED

Chow Chow Mix

Sebastian Schaub, Sebastian Schaub, DVM, Dr. med. vet. DipECVDI
sebast.schaub@gmail.com

SEX

FS

AGE

14 Years

INTERPRETED BY

Sebastian Schaub, DVM
Dr. med. vet. DipECVDI

HOSPITAL NAME

Animal Surgical
Center

REFERRING VET

Veterinary Care
Group

INVOICE

54331

DATE

9-27-22