



PATIENT

Nina Kahoe

SPECIES

Canine

BREED

Dachshund

SEX

Female Spayed

AGE

9Y, 11M

WEIGHT

6.5kg

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

IMAGING PERFORMED BY

Mountain West
Veterinary Specialists

HOSPITAL NAME

Mountain West
Veterinary Specialists

REFERRING VET

Melanie Thompson

INVOICE

74521

DATE

4-8-26

PRESENTING CLINICAL SIGNS

Chronic nasal congestion since October 2025, with discharge, and sneezing. Has been on several antibiotics, steroids, allergy medications.

COMPUTED TOMOGRAPHIC STUDY OF THE HEAD

A pre- and post-contrast CT study of the head are provided for review totaling 2 series. One pre-contrast series of the head bone algorithm. One post-contrast series of the head soft issue algorithm.

COMPUTED TOMOGRAPHIC FINDINGS

There is a moderate multifocal accumulation of hypoattenuating fluid material within the nasal cavities. Mild loss of turbinate detail is present, with slight shriveling of the nasal conchae. No evidence of paranasal bone osteolysis, hyperostosis, or radiopaque foreign material is identified.

The cribriform plate is intact.

There is a moderate amount of organized hypoattenuating material within the ventral aspect of the right frontal sinus and a minimal amount of similar material within the left frontal sinus.

The oropharynx, soft palate, and nasopharynx are within normal limits.

Triadan 106 is absent.

No intracranial mass effect or midline shift is identified.

The tympanic cavities and external auditory canals are within normal limits.

The globes and retrobulbar spaces are unremarkable.

The temporomandibular joints are bilaterally congruent.

The mandibular and medial retropharyngeal lymph nodes are within normal limits.

The mandibular, parotid, and zygomatic salivary glands are unremarkable.

The right thyroid gland is moderately enlarged, rounded, and demonstrates heterogeneous enhancement, measuring approximately 1.3 × 0.7 cm.

Multiple in situ mineralized cervical intervertebral discs are noted.

COMPUTED TOMOGRAPHIC DIAGNOSIS

- Moderate, non-destructive rhinitis characterized by multifocal intranasal fluid/soft tissue attenuation and mild turbinate detail loss.
- Mild bilateral frontal sinus involvement, more pronounced on the right, consistent with concurrent rhinosinusitis.
- Moderate enlargement and heterogeneous enhancement of the right thyroid gland. Differential diagnoses include nodular thyroid hyperplasia/adenomatous change, thyroid adenoma, or less likely early-phase thyroid carcinoma.



PATIENT

Nina Kahoe

- Absent Triadan 106.
- Multifocal cervical intervertebral disc mineralization, consistent with chronic disc degeneration/incidental chondroid degeneration.

SPECIES

Canine

BREED

Dachshund

SEX

Female Spayed

AGE

9Y, 11M

WEIGHT

6.5kg

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

**IMAGING
PERFORMED BY**

Mountain West
Veterinary Specialists

HOSPITAL NAME

Mountain West
Veterinary Specialists

REFERRING VET

Melanie Thompson

INVOICE

74521

DATE



4-8-26


INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

The tomographic findings are most consistent with mild-to-moderate, non-destructive, nonspecific rhinosinusitis. Differential diagnoses include chronic lymphoplasmacytic rhinitis, allergic/inflammatory rhinitis, and infectious rhinitis. Based on the absence of aggressive turbinate destruction, osseous lysis, or mass effect, fungal rhinitis and nasal neoplasia are considered less likely, although they cannot be completely excluded without tissue/fluid sampling.

A nasal flush for cytology and culture/sensitivity is recommended for further diagnostic investigation. Depending on clinical progression, rhinoscopy with targeted biopsy may also be considered if signs persist or worsen despite therapy.

An incidental right thyroid gland enlargement is also identified. Correlation with cervical palpation, thyroid hormone testing as clinically indicated, and cervical ultrasound may be considered if clinically relevant.





PATIENT

Nina Kahoe

SPECIES

Canine

BREED

Dachshund

SEX

Female Spayed

AGE

9Y, 11M

WEIGHT

6.5kg

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

IMAGING PERFORMED BY

Mountain West
Veterinary Specialists

HOSPITAL NAME

Mountain West
Veterinary Specialists

REFERRING VET

Melanie Thompson


INVOICE

74521

DATE

4-8-26

Moderate non-destructive rhinitis characterized by multifocal intranasal fluid accumulation and mild turbinate atrophy



Moderate accumulation of organized hypoattenuating material within the right frontal sinus (ventral compartment)



The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Tilde Rodrigues Froes, DMV, MSc., Dr. Med.Vet., Dipl.CBraRVet
info@sonopath.com