



PATIENT

Khloe Mastrianni

SPECIES

Canine

BREED

French Bulldog

SEX

FS

AGE

6Y

WEIGHT

29

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

IMAGING PERFORMED BY

JK

HOSPITAL NAME

Hamburg Veterinary
Clinic

REFERRING VET

Dr. Branning

INVOICE

75070

DATE

5-20-26

PRESENTING CLINICAL SIGNS

Newly adopted, elbow bows out

Abnormal PE/Chem/CBC/UA Results: R/O elbow arthritis

RADIOGRAPHIC STUDY OF THE THORACIC LIMBS – ELBOW JOINTS

Lateral views of the thoracic limbs – elbow joints are provided for review, totaling 2 images.

RADIOGRAPHIC FINDINGS

RIGHT ELBOW

Moderate periarticular ossification formations are present involving the proximal radius and distal humerus, and periarticular margins of the elbow joint.

Irregularity and loss of definition of the medial coronoid process contour.

Subchondral sclerosis of the ulnar semilunar notch with focal remodeling changes.

Mild articular incongruence.

Enthesophytosis noted at the region of the flexor ligament insertion.

LEFT ELBOW

Medial coronoid process contour appears preserved.

No evidence of incongruency.

Mild periarticular osteophytosis at the radial epiphysis.

RADIOGRAPHIC DIAGNOSIS

- Bilateral elbow joint disease, right side more severely affected.
- Radiographic findings on the right elbow are consistent with indirect signs of elbow incongruency, medial coronoid process disease (MCPD), dysplasia with secondary osteoarthritis. The left elbow shows early-stage degenerative joint changes with preserved coronoid contour.

INTERPRETATION OF THE FINDINGS & FURTHER RECOMMENDATIONS

Bilateral elbow joint disease, right side more severely affected. Radiographic findings on the right elbow are consistent with indirect signs of medial coronoid process disease (MCPD) and elbow dysplasia with secondary osteoarthritis. The left elbow shows early-stage degenerative joint changes with preserved coronoid contour.

Conservative osteoarthritis management and orthopedic consultation are suggested.

If clinically indicated, CT of the elbows would provide a more complete assessment of the medial coronoid process, degree of incongruence, and severity of medial compartment disease.

TECHNICAL COMMENTS

Only lateral views were provided for evaluation.



PATIENT

Khloe Mastrianni

SPECIES

Canine

BREED

French Bulldog

SEX

FS

AGE

6Y

WEIGHT

29

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

IMAGING PERFORMED BY

JK

HOSPITAL NAME

Hamburg Veterinary
Clinic

REFERRING VET

Dr. Branning

INVOICE

75070

DATE

5-20-26

Fig 1. Right elbow: Elbow dysplasia and secondary osteoarthritis.



Fig 2. Left elbow: Mild early degenerative joint changes





PATIENT

Khloe Mastrianni

SPECIES

Canine

BREED

French Bulldog

SEX

FS

AGE

6Y

WEIGHT

29

INTERPRETED BY

Tilde Rodrigues Froes,
DMV, MSc., Dr. Med
Vet., Dipl. CBraRVet

IMAGING PERFORMED BY

JK

HOSPITAL NAME

Hamburg Veterinary
Clinic

REFERRING VET

Dr. Branning

INVOICE

75070

DATE

5-20-26

The information and recommendations provided are based on the images presented by the referring veterinarian. No evaluation can be communicated regarding pathology that was not visible in the image/video clips provided.

Thank you for this referral. If the clinical or image interpretation does not parallel your findings or if I can be of any further assistance, please contact me.

Tilde Rodrigues Froes, DMV, MSc., Dr. Med.Vet., Dipl.CBraRVet
info@sonopath.com